


Electrochemistry for materials technology

Chapter 4


Electrode kinetics

B. Mass transfer limitation


Rate determining steps in electrochemical reactions




Observed j-V plot




B-V model with mass transport




B-V model with mass transport



Concentration profiles near the electrode surface




mass transport of
reactant A



mass transport of
product A

Flux N_A of species A normal to the electrode surface : simple scheme



$$N_A = - D_A \frac{C_{A,bulk} - C_{A,surf}}{\delta} \quad (\text{mol/m}^2 \text{ s})$$

D_A : coefficient of diffusion (m^2/s)

δ : thickness of Nernst diffusion layer (m)


Cathodic and anodic current densities in case of mass transport limited reactions

Current density	Transport of		A	N_A	i
$i_a = -n F N_A$	reactant	$\text{Fe}^{2+} \rightarrow \text{Fe}^{3+}$ oxidation	Fe^{2+}	<0	pos.
$i_a = +n F N_A$	product		Fe^{3+}	>0	pos.
$i_c = +n F N_A$	reactant	$\text{Fe}^{3+} \rightarrow \text{Fe}^{2+}$ reduction	Fe^{3+}	<0	neg.
$i_c = -n F N_A$	product		Fe^{2+}	<0	neg.

with $N_A = -D_A (C_{A,b} - C_{A,s}) / \delta$


Concentration profiles near electrode surface at the **limiting current**

with $N_A = -D_A (C_{A,b} - C_{A,s}) / \delta$
 $= 0$



$i_a = -n F N_A$ reactant



$$i_l = +/- n F D_A c_{A,b} / \delta$$





product

$$i_l = +/- n F D_A (C_{sat} - c_{A,b}) / \delta$$

Origin of concentration overvoltage (mass transport limitation)



$$E_{i=0} = E^0 + \frac{RT}{2F} \ln c_{\text{Cu},b}$$



$$E_{i<0} = E^0 + \frac{RT}{2F} \ln c_{\text{Cu},s}$$

reduction;
Cu plating;
 $i < 0$

Concentration overvoltage

$$\text{Overvoltage } \eta = E - E_{\text{rev}} = \frac{RT}{2F} \ln \left(\frac{c_{\text{Cu}^{2+},s}}{c_{\text{Cu}^{2+},b}} \right)$$

$$i = n F N_{\text{Cu}^{2+}} = - n F D_{\text{Cu}^{2+}} (c_{\text{Cu}^{2+},b} - c_{\text{Cu}^{2+},s}) / \delta$$


reduction;
Cu plating; $C_{\text{bulk}} > C_{\text{surface}}$
 $i < 0$
 $\eta < 0$

$$i_l = n F N_{\text{max, Cu}^{2+}} = - n F D_{\text{Cu}^{2+}} c_{\text{Cu}^{2+},b} / \delta \quad c_{\text{Cu}^{2+},s} = 0$$

$$i / i_l = 1 - \left(\frac{c_{\text{Cu}^{2+},s}}{c_{\text{Cu}^{2+},b}} \right)$$

➔ $i = i_l (1 - \exp (2F/RT \eta))$

Theoretical polarization curve for cathodic deposition with only concentration overvoltage



Formalism for *mixed* control: charge transfer + mass transport

Butler-Volmer (cathodic):

$$i_{c, \text{Cu}^{2+}} = - i_{0, \text{Cu}^{2+}} \frac{C_{\text{Cu}^{2+}, s}}{C_{\text{Cu}^{2+}, b}} \frac{[O_s]}{[O^*]} \exp(-\eta / \beta_c)$$


Mass transport:

$$i_c / i_l = 1 - \frac{C_{\text{Cu}^{2+}, s}}{C_{\text{Cu}^{2+}, b}}$$

Mixed :


$$i_c = - \frac{(i_0 / i_l) \exp(-\eta / \beta_c)}{1 - (i_0 / i_l) \exp(-\eta / \beta_c)}$$

Theoretical polarization curves for a cathodic reaction under mixed control




Mass transport contribution to B-V equation

- Surface concentration is determined by kinetics or Nernst Equation
- If surface reaction is fast, current is diffusion limited



Mass transport contribution to B-V equation



molar flux

$$J = D \frac{\Delta C}{\delta}$$

diffusion
coefficient

Nernst
thickness

Relationship between J and j:

$$j = J \cdot z \cdot F$$

$$\left[\frac{\text{C}}{\text{s} \cdot \text{m}^2} \right] = \left[\frac{\text{mol}}{\text{s} \cdot \text{m}^2} \right] \cdot \left[\frac{\text{mol e}^-}{\text{mol}} \right] \cdot \left[\frac{\text{C}}{\text{mol e}^-} \right]$$

Substituting the expression for flux:

$$j = \frac{D}{\delta} \Delta C \cdot z \cdot F$$

mass-transfer
coefficient (k_m) (units of velocity m/s)

Mass transport contribution to B-V equation

$$j = \frac{D}{\delta} \Delta C \cdot z \cdot F$$

$$j = k_m([C^*] - [C]_s) \cdot z \cdot F$$

For limiting case where $[C]_s=0$: $j_{\text{lim}} = k_m[C^*] \cdot z \cdot F$ C^* : bulk concentration

By substituting for k_m and rearranging,

$$\frac{[C]_s}{[C^*]} = 1 - \frac{j}{j_{\text{lim}}}$$

Notes about the mass transfer coefficient k_m :

- Mass transfer coefficients are measurement technique-dependent (e.g., stirring), and, in some cases, time dependent.
- Both k° (frequency factor, Ch. 3 slides 46-47) and k_m have units of [cm/s]
- When $k^\circ \gg k_m$, j - V curves are controlled by mass transport.
- When $k^\circ \ll k_m$, j - V curves are controlled by kinetics.

Mass transport contribution to B-V equation

If we consider the two different species, [R] and [O], which affect the anode and cathode, then:

$$\frac{j}{j^\circ} = \frac{[R]_s}{[R^*]} e^{\frac{\alpha_a z F}{RT} \eta} - \frac{[O]_s}{[O^*]} e^{\frac{-(1-\alpha_a) z F}{RT} \eta}$$

Limiting current for anodic reaction $j_{\text{lim},a}$:

$$\frac{[R]_s}{[R^*]} = 1 - \frac{j}{j_{\text{lim},a}}$$

Limiting current for cathodic reaction $j_{\text{lim},c}$:


$$\frac{[O]_s}{[O^*]} = 1 - \frac{j}{j_{\text{lim},c}}$$

Substitution

**Butler-Volmer model with
Mass Transport limitations**

$$\frac{j}{j^\circ} = \left[1 - \frac{j}{j_{\text{lim},a}} \right] e^{\frac{\alpha_a z F}{RT} \eta} - \left[1 - \frac{j}{j_{\text{lim},c}} \right] e^{\frac{-(1-\alpha_a) z F}{RT} \eta}$$


Mass transport contribution to B-V equation




Mass transport contribution to B-V equation

Increasing j°/j_{lim} decreases the onset potential at which current is observed.
All curves with high j°/j_{lim} look the same (mass transfer limited)

→ No kinetic information can be derived from them



Mass transport contribution to B-V equation



Simplification for mass transport form of B-V equation: 1. small η

**Analogous simplifications as before hold for
($\dot{\eta} \sim 0$, $\dot{\eta} \ll 0$, $\dot{\eta} \gg 0$)**

For $\dot{\eta} \sim 0$, linearization via Taylor series

$$\dot{\eta} = \frac{j}{f} \left[\frac{1}{j^\circ} + \frac{1}{j_{\text{lim},a}} - \frac{1}{j_{\text{lim},c}} \right] = j \left[\frac{RT}{j^\circ zF} + \frac{RT}{j_{\text{lim},a} zF} - \frac{RT}{j_{\text{lim},c} zF} \right]$$

$f = zF/RT$
 $\dot{\eta} = j \cdot [R_{\text{ct}} + R_{\text{mt},a} + R_{\text{mt},c}]$

charge transfer resistance
mass transfer resistance @ anode
mass transfer resistance @ cathode

$$R_{\text{ct}} = \frac{RT}{j^\circ zF}$$

$$R_{\text{mt},a} = \frac{RT}{j_{\text{lim},a} zF}$$

$$R_{\text{mt},c} = \frac{RT}{|j_{\text{lim},c}| zF}$$

Simplification for mass transport form of B-V equation: 2. large η

$$\text{For large } E-E_{\text{eq}} \rightarrow |\eta| \gg \frac{RT}{zF}$$

Depending on whether a positive or negative potential is applied, we have either

$$e^{\alpha_a f \eta} \gg e^{-(1-\alpha_a) f \eta}$$

$$\text{if } \eta > 0$$

or

$$e^{\alpha_a f \eta} \ll e^{-(1-\alpha_a) f \eta}$$

$$\text{if } \eta < 0$$

Simplification for mass transport form of B-V equation: 2. large η

$$\text{For large } E - E_{\text{eq}} \rightarrow |\eta| \gg \frac{RT}{zF}$$

for $\eta > 0$
(anodic)

$$e^{\alpha_a f \eta} \gg e^{-(1-\alpha_a) f \eta}$$

$$j = j^\circ \left[\left[1 - \frac{j}{j_{\text{lim},a}} \right] e^{\frac{\alpha_a z F}{RT} \eta} - \left[1 - \frac{j}{j_{\text{lim},c}} \right] e^{\frac{-(1-\alpha_a) z F}{RT} \eta} \right]$$

$$j \sim j^\circ \left[1 - \frac{j}{j_{\text{lim},a}} \right] e^{\frac{\alpha_a z F}{RT} \eta} \rightarrow \frac{j}{j^\circ \left[1 - \frac{j}{j_{\text{lim},a}} \right]} = e^{\frac{\alpha_a z F}{RT} \eta}$$

$$\frac{j \cdot j_{\text{lim},a}}{j^\circ (j_{\text{lim},a} - j)} = e^{\frac{\alpha_a z F}{RT} \eta}$$

Simplification for mass transport form of B-V equation: 2. large η

$$\frac{j \cdot j_{\text{lim},a}}{j^\circ(j_{\text{lim},a} - j)} = e^{\frac{\alpha_a z F}{RT} \eta}$$



$$\frac{j_{\text{lim},a}}{j^\circ} \cdot \frac{j}{j_{\text{lim},a} - j} = e^{\frac{\alpha_a z F}{RT} \eta}$$

$$\ln \frac{j_{\text{lim},a}}{j^\circ} + \ln \frac{j}{j_{\text{lim},a} - j} = \frac{\alpha_a z F}{RT} \eta$$

$$\eta = a + b \ln \frac{j}{j_{\text{lim},a} - j}$$

Tafel plot form

$$\eta = \frac{RT}{\alpha_a z F} \ln \frac{j_{\text{lim},a}}{j^\circ} + \frac{RT}{\alpha_a z F} \ln \frac{j}{j_{\text{lim},a} - j}$$



$$\frac{j_{\text{lim},a}}{j_{\text{lim},a} - j} \cdot \frac{j}{j^\circ} = e^{\frac{\alpha_a z F}{RT} \eta}$$

$$\ln \frac{j_{\text{lim},a}}{j_{\text{lim},a} - j} + \ln \frac{j}{j^\circ} = \frac{\alpha_a z F}{RT} \eta$$

concentration
overpotential

activation
overpotential
(η_{act})

Overpotential
form (η_{conc})

$$\eta = \frac{RT}{\alpha_a z F} \ln \frac{j_{\text{lim},a}}{j_{\text{lim},a} - j} + \frac{RT}{\alpha_a z F} \ln \frac{j}{j^\circ}$$

Simplifications for mass transport form of B-V equation: 2. large η

Concentration overpotential is the overpotential required to produce a current that involves the depletion of charge-carriers at the electrode surface (mass transfer limited).

$$\text{As } j \rightarrow 0, \\ \eta_{\text{conc}} \rightarrow 0$$

$$\text{As } j \rightarrow j_{\text{lim}}, \\ \eta_{\text{conc}} \rightarrow \text{dominates}$$

Activation overpotential is the overpotential required to produce a current that depends on the activation energy of the redox reaction.

$$\text{As } j \rightarrow 0, \\ \eta_{\text{act}} \rightarrow \text{dominates}$$

$$\text{As } j \rightarrow j_{\text{lim}}, \\ \eta_{\text{act}} \rightarrow \text{constant}$$

Simplifications for mass transport form of B-V equation: 2. large η

$$\text{For large } E - E_{\text{eq}} \rightarrow |\eta| \gg \frac{RT}{zF}$$

Depending on whether a positive or negative potential is applied, we have either

$$e^{\alpha_a f \eta} \gg e^{-(1-\alpha_a) f \eta} \quad \text{or}$$

$$\text{if } \eta > 0$$

$$e^{\alpha_a f \eta} \ll e^{-(1-\alpha_a) f \eta}$$

$$\text{if } \eta < 0$$

Simplifications for mass transport form of B-V equation: 2. large η

$$\text{For large } E - E_{\text{eq}} \rightarrow |\dot{\eta}| \gg \frac{RT}{zF}$$

for $\dot{\eta} < 0$
(cathodic)

$$e^{\alpha_a f \dot{\eta}} \ll e^{-(1-\alpha_a) f \dot{\eta}}$$

via analogous derivation as for $\dot{\eta} > 0$ (anodic)....

Tafel plot form

$$\eta = a + b \ln \frac{|j - j_{\text{lim},c}|}{|j|}$$

concentration overpotential (η_{conc}) activation overpotential (η_{act})

Overpotential form

$$\dot{\eta} = \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},c}|}{|j_{\text{lim},c}|} + \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},c}|}{|j|}$$

$$\dot{\eta} = \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},c}|}{|j_{\text{lim},c}|} + \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|}$$

Simplifications of B-V equation: large η

**for $\eta > 0$
(anodic)**

$$\eta = \frac{RT}{\alpha_a zF} \ln \frac{j_{lim,a}}{j^\circ} + \frac{RT}{\alpha_a zF} \ln \frac{j}{j_{lim,a} - j}$$

Tafel plot form

$$\eta = \frac{RT}{\alpha_a zF} \ln \frac{j_{lim,a}}{j_{lim,a} - j} + \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ}$$

**Overpotential
form**

**for $\eta < 0$
(cathodic)**

$$\eta = \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j_{lim,c}|} + \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{lim,c}|}{|j|}$$

Tafel plot form

$$\eta = \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{lim,c}|}{|j_{lim,c}|} + \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|}$$

**Overpotential
form**

Total overpotential and interpretation of its components

Recall:

Overpotential represents the extra energy required to overcome reaction energy barriers

→ Increases minimum voltage required for electrolysis / battery charge

→ Decreases the maximum voltage obtained from a fuel cell / battery discharge

We usually want to minimize the overpotential of a device

$$\eta_{\text{total overpotential}} = \sum |\eta_{\text{individual overpotentials}}|$$

Galvanic (fuel) cell:

$$E_{\text{overall}} = E_{\text{eq}} - |\eta_{\text{total overpotential}}|$$

Faradaic (electrolysis) cell:

$$E_{\text{overall}} = E_{\text{eq}} + |\eta_{\text{total overpotential}}|$$

Total overpotential and interpretation of its components

$$E_{\text{overall}} = E_{\text{eq}} - |\dot{\eta}_{\text{total overpotential}}| = E_{\text{eq}} - \sum |\dot{\eta}_{\text{individual overpotentials}}|$$


Individual overpotentials include cathodic, anodic, and electrolytic (=ohmic) components

$$E_{\text{overall}} = E_{\text{eq}} - \underbrace{|\dot{\eta}_{\text{conc,c}}| - |\dot{\eta}_{\text{act,c}}|}_{\text{cathodic overpotential}} - \underbrace{|\dot{\eta}_{\text{conc,a}}| - |\dot{\eta}_{\text{act,a}}|}_{\text{anodic overpotential}} - \underbrace{|\dot{\eta}_{\text{ohm}}|}_{\text{electrolytic ohmic drop}}$$


$$- \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim,c}}|}{|j_{\text{lim,c}}|} \right| - \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim,a}}}{j_{\text{lim,a}} - j} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right| - |jA R_{\text{ohm}}|$$

electrolyte resistance


Total overpotential and interpretation of its components




Total overpotential and interpretation of its components




Total overpotential and interpretation of its components



Total overpotential and interpretation of its components



Total overpotential and interpretation of its components



Total overpotential and interpretation of its components

Low j
($j \ll j_{\text{lim}}$)
 η_{act} dominates

$$E_{\text{overall}} \approx E_{\text{eq}} - \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right|$$

Higher j
 η_{ohm} dominates

$$E_{\text{overall}} \approx E_{\text{eq}} - \text{const} - jAR_{\text{ohm}}$$

Highest j
($j \rightarrow j_{\text{lim}}$)
 η_{conc} dominates

$$E_{\text{overall}} \approx E_{\text{eq}} - \text{const.} - \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},\text{cl}}|}{|j_{\text{lim},\text{cl}}|} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim},\text{a}}}{j_{\text{lim},\text{a}} - j} \right|$$

Simplifications for Mass Transport Form of the Butler-Volmer Equation: Large η

As $j \rightarrow 0$,

$\eta_{\text{conc}} \rightarrow 0$

$\eta_{\text{act}} \rightarrow \text{dominates}$

As $j \rightarrow j_{\text{lim}}$,

$\eta_{\text{conc}} \rightarrow \text{dominates}$

$\eta_{\text{act}} \rightarrow \text{constant}$

$$\begin{aligned}
 & - \underbrace{\left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},c}|}{|j_{\text{lim},c}|} \right|}_{\eta_{\text{conc}}} - \underbrace{\left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} \right|}_{\eta_{\text{act}}} - \underbrace{\left| \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim},a}}{j_{\text{lim},a} - j} \right|}_{\eta_{\text{conc}}} - \underbrace{\left| \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right|}_{\eta_{\text{act}}}
 \end{aligned}$$

Total overpotential and interpretation of its components

Low j
 $(j \ll j_{\text{lim}})$
 η_{act} dominates

$$E_{\text{overall}} \approx E_{\text{eq}} - \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right|$$

$$- \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},c}|}{|j_{\text{lim},c}|} \right| - \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim},a}}{j_{\text{lim},a} - j} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right| - |jAR_{\text{ohm}}|$$


$\swarrow$ approaches 0 η_c $\downarrow$ $\swarrow$ approaches 0 η_α $\downarrow$ assume negligible ohmic losses

The $\ln$ of a very large (or very small) number is a very positive (or negative) value.

η_{act} represents energy needed to just barely start producing current

Effect is clearly seen when $j \ll j_{\text{lim}}$, $j \ll j^\circ$, and R_{ohm} is very small.

Total overpotential and interpretation of its components



Total overpotential and interpretation of its components


Higher j
 η_{ohm} **dominates**

$$E_{\text{overall}} \approx E_{\text{eq}} - \text{const} - jAR_{\text{ohm}}$$

$$- \left[\frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},c}|}{|j_{\text{lim},c}|} - \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} - \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim},a}}{j_{\text{lim},a} - j} - \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right] - |jAR_{\text{ohm}}|$$

constant

Total overpotential and interpretation of its components



Total overpotential and interpretation of its components


High j
 $(j \rightarrow j_{\text{lim}})$
 η_{conc}
dominates

$$E_{\text{overall}} \approx E_{\text{eq}} - \text{const:} \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},\text{cl}}|}{|j_{\text{lim},\text{cl}}|} \right| - \left| \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim},\text{a}}}{j_{\text{lim},\text{a}} - j} \right|$$

$$- \left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j - j_{\text{lim},\text{cl}}|}{|j_{\text{lim},\text{cl}}|} \right| - \underbrace{\left| \frac{RT}{(1-\alpha_a)zF} \ln \frac{|j^\circ|}{|j|} \right|}_{\text{constant for } j = j_{\text{lim}}} - \underbrace{\left| \frac{RT}{\alpha_a zF} \ln \frac{j_{\text{lim},\text{a}}}{j_{\text{lim},\text{a}} - j} \right|}_{\text{constant for } j = j_{\text{lim}}} - \left| \frac{RT}{\alpha_a zF} \ln \frac{j}{j^\circ} \right| - |jAR_{\text{ohm}}|$$




constant
for $j = j_{\text{lim}}$



constant
for $j = j_{\text{lim}}$

The $\ln$ of a number approaching infinity (or 0) is a very positive (or negative) value.


Total overpotential and interpretation of its components



Summary review of B-V Equation with Mass Transfer Effects: Effect of Variables

j^0, j_{lim}


$$\frac{j}{j^0} = \left[1 - \frac{j}{j_{lim,a}} \right] e^{\frac{\alpha_a z F}{RT} \eta} - \left[1 - \frac{j}{j_{lim,c}} \right] e^{\frac{-(1-\alpha_a) z F}{RT} \eta}$$



Summary review of B-V Equation with Mass Transfer Effects: Effect of Variables

α

$$\frac{j}{j^\circ} = \left[1 - \frac{j}{j_{\text{lim},a}} \right] e^{\frac{\alpha_a z F}{RT} \eta} - \left[1 - \frac{j}{j_{\text{lim},c}} \right] e^{\frac{-(1-\alpha_a) z F}{RT} \eta}$$



Summary review of B-V Equation with Mass Transfer Effects: Overpotentials

