
EPFL

Prof. Anastasios P. Vassilopoulos

Advanced composites in engineering structures






What is a composite material?

- The lexical meaning leads to any material that consists of more than two phases...
- Structural composite materials:
 - Materials having strong fibers (or other strengthening mean) surrounded by a weaker matrix material. The matrix serves to distribute the fibers and also to transmit the load to them.

What is an (advanced) composite material?

e.g. glass fibres mixed into a polymer resin

Fibre-matrix interface





Are they new?


- Composites are used since the ancient times
- Mesopotamia (glued wood strips at dif. Angles to create plywood)
- Mongolian arcs
- Japanese swords
- Achilles buckler
 - more...




The Mongolian arcs



 Mongol Bow is a composite bow made of wood, tendons, and horn held together by a glue made from fish bladder, with the compressed parts made of corn,




The Mongolian arcs




Papyrus (Egypt, <4000 BC)

• Laminated writing material from the papyrus plant (Bio!)










References in ancient text


- References to highly interesting structures exhibiting elements of almost modern technology can also be found in the Homeric epics. The shields of Achilles and Ajax Telamonius – son of Telamon, king of Salamis - are presented as laminated structures consisting of successive layers of different metals, and metal and leather layers respectively and are characteristic examples of the advanced knowledge of the science and technology of materials and structures possessed by the Mycenaean Greeks. Metals of particular interest in this respect were hard bronze, tin and pure gold (shield of Achilles) and hard bronze and calf's leather (shield of Ajax). The manufacture of Achilles' armor – by Hephaestus – is described in detail in the Iliad. The description refers to a laminated composite structure, consisting of five consecutive metal laminates with very different mechanical properties. In fact, the shield consists of two external laminates of hard bronze, two internal ones of tin and a central one of pure (soft) gold. This structure exhibits maximum penetration resistance, as proved by a complete numerical simulation of its elastoplastic behavior at large deformations, when impacted by the tip of a piercing element, an arrow or spear for example. The shield of Ajax presented a similar configuration, which according to Homer was a multilayered structure consisting of eight consecutive laminae - an external lamina of hard bronze and seven layers of calf's leather underneath. The impressive impact properties of this structure are also praised in the Iliad:
 - "...The spear struck the sevenfold shield in its outermost layer the eighth which was of bronze and went through six other layers but in the seventh hide it stayed..." from Iliad's description of the duel between Ajax and Hector. These unique detailed descriptions, which also include the weapon's battle behavior, constitute the first known applications of laminated structures in human history*.
- Also in the Bible, Exodus 5.15-18 it is described how the people mixed straws with mad to fabricate bricks...

Achilles' buckler


• In ancient Greece (<1000 BC): Bucklers were made from different layers of metal, leather, wood and (soft) gold to provide shielding against impact.












Composite projects in Switzerland and abroad



Foster + Partners - Apple's Steve Jobs Theater Pavilion (Cupertino, California)





Apple shop - Chicago


Composite projects in Switzerland and abroad

- Weighing 80.7 tons (73.2 metric tons), the impressive roof structure is described by the design team as the "largest carbon-fibre roof in the world". It is made up of 44 identical radial panels, which were assembled on site and then lifted into place in one go on top of the 41m diameter pavillion.
- https://www.dezeen.com/2018/11/21/steve-jobs-theater-pavilion-foster-partners-apple-park/














FRP Materials










Applications



The Startlink - lightweight building systems






CFRP tubes - pavilion



Trench shoring system





The range of applications is very Electrical, Insulation for Supports for circuit Supports for printed Armors, boxes, covers large. A few examples **Electronics** electrical construction breakers circuits are shown below. Tops of television Antennas, radomes Cable tracks towers **Buildings and** Housing cells Chimneys **Public Works** Various covers Partitions, doors, Concrete molds (domes, windows, Swimming pools Facade panels Profiles furniture, bathrooms etc.)



Bridges
Wind energy (Wind turbine rotor blades)



Space Transports

- Rocket boosters
- Reservoirs
- Nozzles
- Shields for atmosphere reentrance

General mechanical applications

- Gears
- Bearings
- Housings, casings
- Jack body
- Robot arms
- Fly wheels
- Weaving machine rods
- Pipes
- Components of drawing table
- Compressed gas bottles
- Tubes for offshore platforms
- Pneumatics for radial frames
- Sports and Recreation
- Tennis and squash rackets
- Fishing poles
- Skis

Based on traditional
Design concepts



A composite fuselage section





The wing lower cover for Airbus' A350 XWB measures approximately 32 meters long by six meters wide, making it the largest carbon fiber part ever produced in civil aviation.



Eyecatcher Building

In the construction engineering field, composites have been initially used to replace conventional materials like steel, or concrete in order to achieve lightweight, easily assembled structures. A typical example of this concept is the Eyecatcher building in Basel, Switzerland. A 15-m-tall, five-story, mobile, lightweight building, it is the tallest multistory GFRP building in the world.







Location 2002: Basel-Dreispitz

The pontresina bridge

• The Pontresina bridge is a temporary lightweight pedestrian bridge, installed each year in the autumn and removed in the spring. Two 2x12.50-m truss girder spans, with adhesively-bonded joints in one span (fully loadbearing) and bolted joints in the other span, were used and additional structural safety was provided by a redundant truss and joint configuration.



The pontresina bridge







Free formability



Differentiating the perceptual design concept!

Although for the above-mentioned examples and numerous other applications the substitution of conventional materials by FRP composites has been proved successful, this practice prevents engineers from taking advantage of one of the most attractive characteristics of composite materials. These "advanced" materials allow engineers to adopt a different approach to design problems, propose alternative design concepts (based on the free formability and lightweight characteristics of composites) and redesign structures. It is thanks to this free formability concept and the superior specific mechanical properties offered by FRP composites that the wind industry grew so rapidly during the last quarter of the 20th century and is still growing by using hybrid tailor-made materials in order to meet the requirements for today's "huge" wind turbine rotor blades




The world's largest wind turbine blade on the road



This is the world's largest wind turbine blade en route to the largest offshore wind turbine in the world, in Methil, Scotland. At an incredible 273.95 feet (83.5 meters) long by 13.7 feet (4.2 meters) wide, the blade had to be transported all the way from Denmark, where it was manufactured —a logistical nightmare.

It was installed on a 7-megawatt test offshore turbine made by Samsung Heavy Industries, which will start producing energy in 2015. Here's a video of the installation, from April 4:




The longest wind turbine rotor blade (2020)



At 107 meters, LM Wind Energy's blades for the Haliade-X 12MW

Hybrid G/C composites



How to fabricate such big structures?

How to support such big structures?
The foundation in Rotterdam of the Haliade-X





Novartis roof

- The sandwich roof construction integrates static, building physical and architectural functions, allowing the prefabrication of the entire roof in only four lightweight elements that were easily transported to the site and rapidly installed.
- The cutting of foam blocks with a computerized numerical control machine and adhesive bonding proved to be advantageous procedures for the fabrication of the complex roof shape, without the use of expensive molds.







Roof installation on site:

installation of large-scale

simple transport and

elements

Adhesively bonded joints



Prefabrication

The degree of prefabrication guaranteed a high-quality fabricated composite structural element, quality control of fabrication since it can be performed in well-controlled laboratory conditions, and results in reduced construction times compared to conventional building procedures. In special cases, bridge structures for example, the advantage is even greater since prefabrication and fast installation also means reduced traffic interference. The lightweight characteristic of composite materials can in this case also offer considerable savings in dead loads and therefore allow the bridge widening (on the same foundation) to accommodate more traffic.





Avançon Bridge, Bex, 2012: GFRP-balsa sandwich bridge deck



Old one-lane bridge



Bridge deck fabrication














Pre-assembly on site










How do we analyze composite structures




https://enterprise.trimech.com/composite-structures-analysis-engine

or else – from fibers and resin to composite structures




Concept




or else – from fibers and resin to composite structures




Concept



Design




Material Testing







or else – from fibers and resin to composite structures



Design



Material Testing






Manufacturing




Design verification





Material Testing





Manufacturing




Design verification



End of life strategy Reuse Recycle







End of life scenario



Landfilling - https://www.bloomberg.com/news/features/2020-02-05/wind-turbine-blades-can-t-be-recycled-so-they-re-piling-up-in-landfills

Can composites be recycled?



The disposal of composite waste in cement kilns is widely believed to be an effective option, resulting in energy and materials recovery.









Fig.1: Unloading of windmill blades at processing site

Fig.2 : Part storage prior to mechanical treatment

Fig.3 : Mobile sawing equipment

to reduce transport costs

Fig.4: Typical composite regrind, made from ground windmill blade


Co-processing is the simultaneous use of composite regrind as raw material and as a source of energy in cement manufacturing, to replace natural mineral resources (material recycling) and fossil fuels such as coal, petroleum and gas (energy recovery). In this process, the composites regrind used for co-processing is both an alternative fuel and raw material (AFR).


After their useful life saving energy and helping to reduce Eco-footprint in many applications, composite regrind can reduce Eco-footprint and CO₂ emissions of cement manufacturing.


Can composites be recycled?



Carbon fibers can be recovered and recycled from carbon fiber reinforced polymers (CFRP) with around half a dozen companies around the world specializing in this work







Mechanical **carding** is used by SGL Automotive Carbon Fibers (Wackersdorf, Germany) to process CF scrap from weaving and preform kitting for the BMW i-series CFRP Life Module production into stitched nonwoven materials (left) which are then molded into the i3's rear seat structure and roofs for both the i3 and i8 (right). SOURCE: BMW

Do composites fail?



Course objectives



Learn about composites



Understand the advantages/disadvantages of composites



Learn about the use of composites, their placement in the market and their future





Design a simple composite structure




Obtain Transversal skills – Team/project management, writing a scientific report, hands on experience...

Practice


Applications and dimensioning

- Laboratory experience
- Present applications of composites
- Perform dimensioning of a structure



Introduction

- Types of composites
- Reinforcements
- Matrix materials
- Interfaces
- •Macture procedures



Structural foam injection

Mechanics of composite materials

- •Theory of elasticity for anisotropic media
- •Classical lamination theory

$$\begin{cases} \mathcal{E}_1 \\ \mathcal{E}_2 \\ \gamma_{12} \end{cases} = \begin{bmatrix} S_{11} & S_{12} & 0 \\ S_{21} & S_{22} & 0 \\ 0 & 0 & S_{66} \end{bmatrix} \begin{cases} \sigma_1 \\ \sigma_2 \\ \tau_{12} \end{cases}$$

Advanced Composites in Engineering Structures Course layout

Current Projects/GR-MeC activities

Potential for

Course projects
Semester projects
Master projects
Internship



Talk to me...

