
COM-405: Mobile Networks

Lecture 14.2: Advanced Topics Haitham Hassanieh









Full Duplex Radios

"It is generally not possible for radios to receive and transmit on the same frequency band because of the interference that results."

Why Aren't Radios Today Full Duplex?




With self-interference cancellation, radios can transmit and receive on the same channel!



Applications of full duplex radios:

- TX/RX on same time same channel
 → Double Spectral Efficiency!
- Extend range with full duplex relays
- WiFi Backscatter
- Better MAC: CSMA/CD in wireless
- Motion tracking & imaging in WiFi
- Security: Friendly Jamming








Motion tracking & Imaging

Cancellation Performance


80 MHz Bandwidth. WiFi OFDM waveform, 20 dBm TX power at 2.45 GHz

- Wideband
- Tunes to
 environmental
 changes within
 8us, needs to be
 re-tuned every
 100ms



Full duplex radios: MIMO

How is the MIMO full duplex problem different?



Want:

- Cancellation complexity scales linearly with M (number of antennas).
- Cancellation residue is the same as the SISO full duplex, i.e. it does not degrade with increasing number of antennas.

From Impossibility to Practice

First attempt at building selfinterference cancellation (Mobicom'11)

2011

Fully Functional Full Duplex Radios Prototype (Sigcomm'13)

2013

Successful field Trials with Tier 1 networks worldwide

2015

2012

Near-band cancellation (Sigcomm'12) Kumu Networks Co-founded 2014

Full Duplex MIMO Radios Prototype (NSDI'14) Product at Kumu Networks 2016

Deployed in the networks









Intelligent Reflecting Surface (IRS)

Today: Wireless Networks Adapt to Environment


Wireless Signal Strength depends on the way the signal propagates in the environment & it changes quickly and is unpredictable.


- If Signal is Bad
 - → Reduce data rate

- If Signal is Good
 - → Increase data rate


New Approach: IRS (Intelligent Reconfigurable Surface)

Programmable Radio Surfaces Change the way the wireless signal propagates





Goal: Maximize signal strength at receiver




Transmitter


:::


9 Antennas





Receiver













Beamforming ability is a function of the number of wavelengths the device spans







Medical Implants




In-body Networks







Traditional Wireless Implants



Medicine is Changing...





Capsule Endoscopy



Cancer Radiation Therapy

Medicine is Changing...





Capsule Endoscopy

Cancer Radiation Therapy


In-body devices need **communication** and **localization**Small medical implants **cannot have batteries**

Backscatter




Can we use backscatter in-body?
Not as is!

Problem: Signal is Reflected off the Skin



Problem: Signal Attenuates **Exponentially** In-Body




Problem: Signal Attenuates **Exponentially** In-Body



Challenge: Reflection from the skin is 100 million to 1 billion times stronger than the target signal


Key Challenge:

Wireless signals die exponentially in the human body





Micro and Nano Bio Implants



Micro and Nano Bio Implants

How to communicate with and network Nano & Micro Implants?


Traditional implants use wireless















- Requires powerful external device
- Cannot network implants inside the body




Molecular Communication

Communication paradigm inspired by chemical signaling between cells inside the body.


Neurons release neurotransmitters to communicate




Glands release hormones into the blood stream



Encode bits by releasing molecules into the blood stream






Underwater Communication

Applications of Ocean IoT

What percentage of the ocean has never been observed or explored?

More than **80%** (*NOAA*, *2018*)



How is underwater IoT different than in-air IoT?

· Can't use radio (WiFi, bluetooth) · Can't use GPS (radio signals) Power is scarce Direct underwater-to-air comms remains challenging


Problem: Battery life of underwater sensors is extremely limited

Low-power underwater transmitters consume 100s of Watts (e.g., WHOI low-power micro-modem 2019)

State-of-the-art sensors for tracking marine animals only last for few hours or days

[Animal Biotelemetry'15, Scientific Reports'17]

Key Idea: Using Acoustic backscatter



Toward Ocean-Scale Battery-free Networks & Localization

Code + Schematics + Tutorials:

https://github.com/saadafzal 24/Underwater-Backscatter



Acoustics







QIIALCOMM

The Future of Personal Audio
















Inaudible Acoustics







Inaudible Acoustics











Wireless network of smart IoT devices in homes & workplaces for noise cancellation

A wireless IoT network for noise cancellation



A wireless IoT network of microphones for multi-source noise cancellation




Wireless Charging

Wireless Charging


Today: zero distance & highly sensitive to orientation




MagMIMO



Why not increase the transmit coil size? Magnetic Flux Density












Wireless Human Sensing


Input signal

Wireless reflection of the human body





Emotion Model


- Standard 2D emotion model
- Classify into anger, sadness, pleasure and joy



Wireless Sensing Sleep Stages








Dynamic human meshes from RF



RGB view



Body shapes from RF

Wireless Food & Material Sensing

Can we sense food and liquids in closed containers?



Is it safe?
Is it authentic?
Has it expired?

Applications

=

į a

The New York Times

ASIA PACIFIC

China's Top Food Quality Official Resigns

By DAVID BARBOZA SEPT. 22, 2008









A baby suffering from kidney stones after drinking tainted formula was treated Monday at a hospital in Chengdu, China. China Photos, via Getty Images

SHANGHAI — The chief of China's food and product quality agency was forced to resign Monday in a growing scandal over the country's tainted milk supply, which has already sickened more than 50,000 infants and killed at least three children, according to the state-run Xinhua news agency.



US Elections 2020 World Environment Soccer US Politics Business Tech Science More

The Observer Wine

The great wine fraud


Rudy Kurniawan amassed a vast fortune trading in rare wines. Trouble is, he was bottling them himself. Ed Cumming reports on a vintage swindle

Ed Cumming

Sat 10 Sep 2016 19.05 EDT

World

Fake drugs kill people and fund terror.
African leaders hope to do something about it.





Calorie Cup Coffee (Sweet) 32 Calories

Wireless Sensing Liquids



Wireless Sensing Liquids



Wireless Sensing Liquids




LiquID: Wireless Sensing Liquids




Wireless Sensing Liquids



Existing Solutions









Existing Solutions

- X Dipping a Probe: Invasive
- Chemical Analysis: Destructive
- **X** Expensive (\$50k +) and Bulky: Inconvenient







- ✓ Identify liquids without touching it: Non-invasive
- ✓ Using low power, wireless signals: Non-destructive
- ✓ Small and cheap: IoT



Material sensing opens up many applications!

Robotic Grasping



Waste Sorting




Quality Control




Liquid & Food Control



Material sensing with wireless signals








Wireless Imaging

Wireless Imaging

3D Radar Shape Reconstruction




Imaging Inside Boxes



Wireless Imaging

Radar SLAM





Around the Corner Imaging

