

Index

- ABB AshArc 115
- ABB Deglor 115
- abiotic depletion 374,378,358,372
- accelerated corrosion 271,272,283, 287,290
- acceptance dialogue 406,413,517
- acceptance of technological risk 407
- accident 467,470,480,483
- acetogenic bacteria 22
- acidification 358,374
- aeration 33,72,134,135,140,141,150, 157
- aftercare 351,380,381,386,467,468, 471,479,481,505
- aggregating methods 374,378
- aggregation 357,392
- air classifier 56,70
- air flow 137
- air pollution control (APC) 20,164, 170
- alkali elements 280
- alkylation 154
- aluminium 16,33,317,332
- ammonia 26,29,144,137,190,194, 205,370,373,376
- amorphous gel layer 273,280,292
- anaerobic digestion 138,139,140,141, 138,140,442
- ancillary products 356,361,367,370, 376
- anti-incineration argument 442
- ASR 211,231,294-306,328
- ASR disposal 295,296,300
- ASR processing plant 306
- assessment of the location 431,438
- assessment of the need 421,438
- autochthonous sources 152
- automatic separation 66,69,70,71
- automatic sorting 53,56,66
- automotive shredder residues (see ASR) 294,313,328,334
- auxiliary fuels 233
- availability 137,166,175,185,186, 189,190,195,361,415,457
- background process 361,362
- bacteria 22-33,108,137,144,146-148, 153-159
- baling systems 38
- base sealing 387
- batteries 35,37,39,55,61,78,134,294, 297,307-315,414,416
- battery disposal plant 312
- battery recycling 308,312,315
- biodegradable 59,170
- biofilms 22,152
- biofilter 141
- biofuel 142
- biogas 75,130,131,141-147,150
- biogeochemical cycles 148,149
- biogeochemistry 27
- bio-hazardous material 4
- biohydrometallurgy 156,157
- bioleaching 155,156,159
- biological processes 128,129,130, 131,134,140
- biomass 15,26,28,45,148,149,152, 153,159,166,170-175,180, 185,205, 207,296,516
- biosorption 153
- biosphere 4,46,148,149,156,370
- biotechnology 43,128,148
- biowaste 140,141,142,174,175,179
- blast furnace 303,311,326,329,366, 377,379,383-385

- blast furnace slag 110-116
boiler 125,169-177,186-196,229,231,
234,239,244,248,302,454
boiler fouling 189
bottom ash 12,20,45,102-121,129,
158,170,173,210-220,227,229-
239,242,250-279,292,295,325,
516
bottom ash landfill 102-108,235
bromine 25,209,297,320,321,325,326
brownfield site 440
burn-out 80-97,187,196,197,202
button cells 309,311,313
cadmium 27,147,154,157,176,237,
256,296,299,304-310,316,321,
322, 325,329,330,464,477,478,
480-487, 497,498,509-511
cancerogeneity 29
carbon 4,12,16,88,91,98,113,176,
205-208,218,220,254,478,480,
484,486,487,510,516
card board 70,71,19,23,35,44,50,53,
59,69-78,207,299,309,310,316,
416, 496
cathode ray tube (CRT) 315
cement 39,45,103,108,109-120,166,
196,198,200,202,253,293,295,
306,326,329,439,516
cement production 39,109,112,166,
516
cemented filter ash 103,107
ceramics 49,53,58-60,66,207,299,
305,316,320,325
CFC 332,374,402
CH₄ 24,96,136,205,208,209,246,
366,367,370-379,383,386,398
chelating agents 107,108,155
chemical oxygen demand 29
China 15,17,34-41,484,502,503,511
chloride 27,29,89,105,112,174,207,
233,383
chlorine 16,86,89,170,174,176,197,
207,215,219,222,225,227,297,
302,325,467,478,480,484,486,
487,510
chromium 27,147,154,176,190,256,
296,299,305,316
circuit board 209,315,319-334,488,
492
citizen opposition 419,433,453
citizen panels 423,448,450
classification 77,78,138,196,197,212,
258,261,269,271,278,282,323,
324,326,356,357,492
clean technology 159
clinker 110-120,196,198,200,201,204
clinker calcining process 196,198
CML 358,359,371,372,377,378
coal ash,18,34,35,111,175
co-firing 166,169-173,179,184
co-incineration of ASR 300-302
collection logistics 140
combined heat and power 142,167,
177
combustion 45,78-101,171,173,183-
187,196-200,214-219,231,233,
237, 239,241,244-247,325,367, .
371, 375, 384,478, 516
combustion chamber 45,78-101,244,
246
combustion on the grate 80,81,96
combustion temperature 86,171,187,
197,218,367
comminution 231,235
complexing agents 155
composite materials 19,494
composite materials 207,323,324,330
composition of MSW 15,16,18,19,20
compostability 140
composting 38-41,50-59,128,133,
138-143,149,184,478,504
composting drum 133
compressive strength 114-117
computer 2,49,51,58,189,315,319,
320,322,330,400,464,488,491,
498, 511
concrete 58,109-121,255,293,326,
376,407,409,474,
conflict analysis 422,424,425,446

-
- consensus 408,410,413,420,422,
426,430-435,438,448,
448,451,456,457,515,517
 - consensus building 432
 - construction materials 45,112
 - consumer 6,17,47,48,55,73,175,294,
295,308,315,414,415,419,421,
429, 430,452,484,487,491,501
 - consumer electronics 316,318,319,
331
 - consumerism 6,11
 - consumption patterns 18,415,463
 - continuously stirred reactor 83,85
 - conventional fuel 196,197
 - cooperative discourse 451
 - copper, Cu 3,19,20,27,51,102 ff, 117,
147,148 ff, 176, 211 ff, 229 ff,
294 ff, 363 ff, 500
 - copper recovery 321
 - copper scrap 229,237,238,327
 - corrosion 29,43,85,95,166,174, 187-
194,207,209,220,257,261,263,
266, 271-293,297,302
 - cost calculation 239,416,417
 - cost/benefit 388
 - CRT 316,319,320,322,327,328
 - crushing 130,132,133,248,297,310,
311,323,324,325,330
 - crystalline inclusion 261,262
 - crystallinity 258,261,266,271,277,
285
 - CSR 85,87,89,92
 - decision-making process 406,407,
411,428,457,468,472
 - decomposition 24,42,50,79,85,87,
101,144,146,156,227,242,244,
245, 329
 - deinking quality 70,71
 - democracy 408,417,439
 - demonstration plant 175
 - denitrification 28,144,145
 - depletion of resources,3,8
 - destruents 148,149
 - detoxification 108,137,152,220,227,
230,242,336,340,342,496,501
 - developing countries 1,17,44,129,
143,144,145,147,515
 - diminishing marginal utility,389,393
 - dioxin 127,207,220,246,255,347,
384,445
 - disassembly of WEEE 323,330
 - discount rate 351,388-398
 - discounting 388-398
 - discourse 409,425,426,427,438,451,
452,456
 - dissolution kinetics 108
 - district heating 166,169,186,451
 - drop off site 55
 - Dual System Deutschland 73
 - dumping,35-41,47,143,197,300,331,
514
 - durability 112,257,262,263,266,269,
270,283,285,289,292,349,477,
479,489
 - eco-efficiency 10
 - eco-indicator 358,359,371,374,375,
378,382,400
 - ecological aspects 326
 - ecological dumping 296
 - ecological modernization 425,426
 - ecological tax 416,463,495,496,501,
507,509
 - ecological-economic efficiency 351,
382
 - economic assessment 239
 - economic instruments 416,495
 - economic value 2,3,110,170,256,321,
391,392
 - economizer 186,193
 - ecosphere 148,401
 - ecotoxicity 29,358,373
 - eddy current separation 69,73,231,
236
 - EDIP 358
 - education program 62
 - effective energy ratio 204
 - effluent stream 207,208,210
 - electrical and electronic equipment
159
 - electrical efficiency 231
 - electricity generation 167,168

- electrochemical processes 325
- electronic scrap 61,69,158,159,165,
209,294,315,484,488,498,499
- electronics 319,320,331,488
- electrostatic precipitator 45,234,313,
ELV 294-306,315,328,338
- emission 21 ff, 75,79,85,97,99,140,
143 ff, 150,164,173,181,194-196,
239,254,350 ff, 445,486,495,502
- emission control 167,170,175,196,
452
- end-of-pipe 9,12,312,351,477,517
- energy balance 141,142,196,202,209,
249,296,
- energy content 45,132,142,143,185,
300,385,398,517
- energy efficiency 166,183-185,190,
194,350,376,377,379,385,386,
398,517
- energy exchange ratio 198-204
- energy expenditure 202
- energy policies 168
- energy recovery 73,132,133,147,150,
165-168,181-184,196,198,295,
301 303,310,317,322,329,333,
365, 377, 26,439,503,516
- energy utilization ratio 200,202
- environmental assessment tools
351,352
- environmental impact 8,45,130,
257 ff, 307,350 ff, 410,415,
416,435,452 ff, 488,510,518,
- environmental impact assessment
410,435,510
- EPS 152,153,358,393,403
- ethane 25,30
- EU waste incineration directive 168,
172,174,180
- European Portable Battery Associa-
tion 307
- eutrophication 29,358,376,382,373
- evaporation 89,90,91,158,190,211,
215-234,245,313
- excess air 95,219,230,233
- excess air ratio 233
- extracellular polymeric substances
152
- fair dialogue 434
- feed preparation 209
- fermentation 16,22,28,53,56,67,73,
128,130,132,134,135,142,150,
170, 236,303
- ferrous scrap 231,235,238,
- field-edge composting 141
- filter ash 102,103,107,108,210,214,
222-224,227,242,294,299,302,
304,364,366,367,375,378,384,
483,515
- filter ash landfill 102
- financial incentive 317,413,414,416,
457,458,468,477,478,481,509
- financial resources 350,351,392,468,
469,471,481,505
- flame retardant 209,297
- float-and-sink plant 294,297
- flotation 71,72,73,324
- flue gas 78-100,172,173,186-194,
200,202,208,212,213,219-
223,227-239,248,249,301,302,
366,369,487, 515
- flue gas purification 78-80,229,231,
233,239
- flue gas recirculation 80,83,85,86,94,
186,187
- fluidized bed boiler 169,170,173,174
- fluidized bed combustion
166,171,173
- fluidized bed combustion 171,173
- fluidized bed gasifier 175
- fly ash 12,45,105-119,157,158,170-
173,190,194,229-242,250-257,
266, 279,292,293,444,516
- fly ash treatment 229-240
- food waste 18,35,515
- forward-acting grate 87,88
- free energy of hydration 284-290
- fuel properties 166,174,180,197,518
- fuel staging 85,200
- fuel substitution 198,204,516
- fuel technology 196,197

-
- functional unit 354-356,361-364,374,376
 - furnace 45,110-113,185-188,198,202,210,211,214,215,217,221,241-247,302,311,313,328
 - future generations 5,351,359,391,394,395,411,458,462,464,467
 - future workshops 474
 - galvanic sludge 157,306
 - garden waste 19,23
 - gas cleaning system 220,222,327,
 - gas formation 23,24,25,26,31,135,150,
 - gasification 65,97-101,166,170,175,177,178,180,181,183,185,201,205-210,214,216,231,242,244-249,303, 326,329
 - gate fee 177,179,183,240
 - GDP 8,15,17,18,36,37,502,
 - generator power 189,
 - glass 16,19,35,38,44,49-59,66-69132,134,174,181,183,207,211,215, 217,231,233,235,252,261-292,297, 303,305,319-322,325-333,354, 476,478,493
 - glass hydrates 284,
 - glass recycling 66,183
 - glassy residues 12,
 - global warming 24,50,144,145,146,147,151,357,358,374,376,379, .383, 385,386,
 - goal and scope definition 353
 - grate 45,78-101,168-173,184-187,194,210,211,215,217,231-235,239
 - grate boiler 168,169
 - grate combustion,96,185,186
 - grate incineration 184,355,356,361,364,367,369,378-38,385,396,397
 - green dot 56,73
 - green energy 195
 - greenhouse gas 16,24,144,145,515,516
 - groundwater pollution 27
 - halogenated hydrocarbons 25,30
 - hammer crusher 235
 - hammer mill 67,133,324
 - hazardous materials 53,207,297,323,324,327,501
 - hazardous potential 27,108,128,150,499
 - heat exchanger 189,193,194
 - heat market 169
 - high temperature materials 257
 - household appliances 297,316,318,319,320
 - HT materials 257-293
 - HT processes 257-293
 - human health 4,41,138,358,382,445,450,467,468,471,481,505
 - humic substances 146,254
 - hydra-pulping 73
 - hydration 25,110,117,118,284,285,286,289,344
 - hydraulic conductivity 136
 - hydraulic material 110,111
 - hydrochloric acid 86,211,234
 - hydrogen 22,24,26,29,98,137,144,145,146,154,155,176,205,208,209,246,329,477
 - hydrogen sulfide 22,26,29,144,145,146,155
 - hydrology 107
 - hydrosphere 16,27,29
 - hydrothermal 166,204-210
 - incineration 12,16,19,20,29,36-41,45,75,78 ff, 164-332,351-398,405,426,428 ff, 472,476, 479,483,486,495,499-509,515
 - incinerator ash landfill, 02
 - inert material 45,65,88,109,212,219,228,248,257,268,283,299,300,305,321,322,369
 - integrated technology 130
 - integrated waste management 9
 - intergenerational fairness 393
 - interpretation 215,258,271,280,289,353,359,360,382
 - investment cost 140,417,195,239,240,315
 - investments 37,40,143,184,231,323,388,392,479,492,507,517

- IR camera 89
IWM 9,462,465,473,481,507,509,
510
landfill 9,21 ff, 102 ff, 128 ff, 257 ff,
300,302, 303-305,312,322,351-
398, 406,428 ff, 502 ff,
landfill degradation 25
landfill fire 365
landfill leachate 27,28,29,31,151
landfill model 387
landfill settling 151
landfill stabilization 129,144
landfills for inert materials 266,268,
269,279,282,283,291,292
latent hydraulic 110,111,121
LCA 165,350-398,412,510,516,
LCI 359,366
LCIA,353,356-359,378,382,385-387,
390-393
leachate 12,21 ff, 45,102-108,128 ff,
252-254, 271-295
leachate composition 25,27
leachate plume 27,28
leachate treatment 34,144,145,146,
147,365
leaching 12,102-108,112,118,155 ff,
212 ff, 252-256,271-295,398,515
leaching of heavy metals 104,157,
253,351
leaching test 102,105,107,212,252,
254,256,279,283,
life-cycle 351,317,334,506
life-cycle assessment 350-398
life-cycle impact assessment 353,
356
lignin 146,151
lignite 110,111,171,173,202,
lithium batteries 309,
lithosphere 149,
local campaign 426,427,442,444,445,
local communities 419,423,426,428
local opposition 6,406,420,438,439,
444
long-term emissions 371,376,379,
386,388,395-397
long-term predictions 104,108
magnet 50,56,73,
magnetic separation 231,304,326,
market instruments 499,
market prices 195,358,392,
massburning 166,170
master categories 51,58,64,
material flow analysis 5,351,464,
484-488,510,511
material intensity 1,8,10,
material recycling 45,65,73,167,173,
175,183,184,248,306,322,360,
385, 398,517
matrix dissolution 273,277,278,280,
287
mechanical separation 35,38,39,65,
132,137,159,229,237,238
mechanical size reduction 304,
mechanical-biological treatment 130,
150,151,161,184,351,361,365,
374, 376-382,386,396-398,517
mechanical-electromagnetic separa
tion 324,330
mediation 418,422-425,433,435,447,
458
mercury 25,27,42,61,154,175,176,
256,296,299,307,309,311,313,
316, 323,325,330,366,
metabolism 23,25,33,155,157,484,
486
metal concentrate 229,230,231,234,
237
metal mobilization 158,159
metal partitioning 237,238
metal separation efficiency 231,237,
238
metal solubilization,155,157
methane 16,22-31,98,136,137,142,
144,145,147,150,168,183,205,
208, 350,365,370,516
methane collection 144,146
methanogens 22,26
method of ecological scarcity 371,
374,375,376,378,379,382,397
methylation 25,154
mineral inclusion 263,264,269,270,
271,273,284,291

-
- mineral phases 104,107,108,261,269,
271,273,278,282,292
 - mineral surfaces 104
 - mineralization 20,21,22,148,149,154,
165,205
 - mineralytic effects 155
 - mining 3,5,17,152,154,156,157,158,
160,303,304
 - mobilization of heavy metals 91
 - monetarization 391,392,393,395
 - morphology 258,260
 - morphology of HT materials 260
 - mortar strength 114
 - MSW collection 35,40,41,165
 - MSW quantity 17,36,37
 - MSW recovery rate 179,180
 - MSW source separation 174,
 - MSWI slag 109,114,118,119,383,
 - near-infrared 73,
 - net ecological benefit 381,382
 - net present value 351,381,382,
 - nickel containing batteries 311,
 - nickel-metal hydride 308,309
 - NIMBY 405,419,420,426,432,456
 - nitrogen 22 ff, 45,60,94,96,101,147,
176,194,205,219,230,246,350,
477,478,480,484,48,510
 - nitrogen oxide emission 230
 - nitrous oxide,24
 - NMVOC 37,350,367,370,371,373,
374,375,376,377,379,383,386,
398
 - non-ferrous metals 56,132,174,183,
231,236,294,319
 - normalization 357
 - NOx 12,85,126,164,171,175,187,
205,207,231,367,370,373,375,
376,377, 382,
 - nuclear glasses 283
 - odor 34,50,129,138,143,144,147,151,
358,411,419,433
 - office and communication technol-
ogy 319
 - optical sorting 56
 - organic fraction 150,211,219,220
 - organic load 132,133,151
 - oxygen concentration 24,83,84,87,89,
91,95,101
 - oxygen enrichment 233,
 - oxygenation 140,
 - oxyreducer 303,311,314,326,336,
 - ozone depletion 29,358,372,376,382,
386,388,
 - packaging waste 60,173
 - PAH 297,301,305,325,365,370
 - paper 15 ff, 49-59,69-73,166,169,
180-184, 207,299,309,310,316,
476,478,496
 - paper recycling 49,69-73,180,182
 - participation 55,63,408-412,418,421,
429,438,446,447,450,456-458,
468,482,505
 - participation process 410,447,450,
 - participative decision making 458,
 - participative policy making 456,
 - participatory method 422,
 - particle size 24,66,69,70,131,132,
140,150,170,209,210,236,237,
252, 256,304
 - PCB 297,301,305,325,330,365,367
 - PECK 114-118,211,229-240,355,
356,361,364,366-386,397
 - pedosphere 27,29
 - permanent storage 376,398
 - petrographic analysis 273,
 - PFR 85,87,92,94
 - pH 24,25,26,103-107,129,153,154,
157,162,252,253,271,276-
278,283, 286,288,290-292
 - pH of leachate 291
 - photosynthesis 148
 - pilot landfill 103,107
 - plant debris 50,58
 - plastics 15,18,35,38,45,62,73,130,
132,166,180,197,207,294,294 ff,
487,516
 - plastics processing 73
 - plug flow reactor 83,85
 - policy approach 413,457
 - political decision making 450
 - polybrominated biphenyls 316
 - polybrominated diphenylethers 316

- polymers 49,53,57,58,146
portfolio-grid 489,490,491,493,494,
495,510
Portland cement 109-112
post combustion 101,233,234
post-combustion chamber 80,95,98,
99,101
power generation 175,183,184,204,
229
pozzolanic material 110
precious metals 320-323,325,327
primary air 8087-90,187,194,218-
220,233
primary batteries 307,309
primary fuel 196,198,200-203
primary measures 45,79,80,84,89,91,
97,99,416,
prism 92,93,150,
process chains 197,
process control 79-97,129,136,196-
200
process-related emissions 367,
production costs 143,329,481,496
public awareness 415,416
public participation 417,406,413,418,
421,446,456
putrescibles,50,52,58
pyrolysis 83,210,215,247,302,303,
313,311,324,326-329
radioactive, 44,346
radioactive tracers 89
RDF gasification 170,175,177,183
RDF properties 171,173,176
RDF quality 168,170,175
reactor 16,83,85,86,87,94,95,131,
198,205-210,217,227,228,232,
233,234,235,244,327
recovery 11,25,36,44-78,145,150 ff,
165 ff, 210 ff, 244,248,294 ff,
371, 379,385,414,426,454,457,
463,478,518
recovery of heavy metals 229,386,
398
recyclable wastes 35,36
recycling 11,16,37 ff, 44 ff, 132 ff,
170,180,184, 248,256,266,271,
294-333,350 ff, 405,462,463,
465,469,475-479,487-511,515 ff
recycling of paper 69-73
redox sequenc 21,28
reference system 355,362,364,385,
387
remediation 27,41,128,346,380,390,
395
renewable energy 140,168,169,170,
329,516
repair 47,48,49,58,59,191,195,477,
479,498,499,508
RESH 294,334
reshment 211,298,303-306
residence time 45,83-101,107,129,
174,205,210,215,218,219, 248
304,327,516
residual carbon 87,88,99
residue 12,65,74,80,83,85,89,97,
105,170,173,207,210,222,248-
255, 302,310,326,367,375,376
residues from shredding 294
resource management 9,46,137,463,
464
reuse 47-64,196,283,293-297,300,
305,316,322,328,333,414,417,
441, 498,499,500,501,504,511
reverse-acting grate 83,87,88,98
right to participate 457
risk assessment 351
rotary kiln 231,232,233,239,242
rotary shear 303
rotor impact mill 303
rotting 130,135,140,
round table 417,423,431,433,437,456
sanitary landfill 36,49,62,143,351,
361,364-387,397,398,502,504,
516,517
sanitation 41,502,515
scavenger 50
scenario 177,179,180,181,183,195,
390,393,394,396,430,474-
484,488, 494,501,506
scenario evaluation 474
scrubber 173,222,223,227,234,313
SCWO 205,207,208,209,339,344

-
- secondary air 92,93,186,187,233
 - secondary fuel 65,112,332
 - secondary materials 37,53,65,112,
229,238,257,355
 - secondary minerals 273,280,291
 - secondary pollution 38,
 - secondary raw materials 12,112,123,
211,293,312,322,323,327,328,
463,518
 - semiconductor 320,
 - sensitivity analysis 359,380,383,385
 - separate collection of batteries 307,
310
 - separation 37,44 ff, 130 ff, 150,159,
175,185,207,210 ff, 294 ff, 408,
416, 488 ff, 501,516
 - setting time 114,117
 - sewage sludge 33,150,206-208,229,
234,237,239,242,303,363,364,
384,410,478
 - Shanghai 15,17,18,35-41,502,503,
504,506,514
 - shredded glass 66
 - shredded material 53,56
 - shredder 66,69,70,89,140,211,294,
297,299,300,302,324,327
 - shredding,128,140,159,294,297,306,
317,332
 - sieve drum 294,
 - silicate structure 270
 - silicates,233,261,263,285,289
 - simulation 26,212,215,220
 - site selection 41,447,448,456
 - siting 57,419,426,428,439,444,445,
446,448,451,452,454-456,458
 - siting landfills 455
 - slag 35,39,83,86,109-121,157,187,
241,244,246,249,250-256,295,
302, 305,325-327,361,366,367,
374-376,378,384,397,483
 - smelting metallurgy,324,326,327,
 - SNCR 96,190,194
 - social aspects 257,351,406,409, 412,
457,473,474,483,493,473,493
 - social compatibility 407-414,423,
428,435,457-459,464,466, 469,
483,509,510,511,517
 - social compatibility analysis 413,
435,517,
 - social needs 407
 - soil 20,24,27,29,31,50,52,59,60,79,
107,128,146,149,152,158,250-
252, 299,313,355,358,359,365,
486,487,515,516
 - solid conversion 80-85
 - solubility 104-108,155,157,254
 - source reduction 48,50,55,60,62,63,
65,173-175,184,
 - spatial heterogeneity 27
 - spent batteries 165,307,308,311
 - staged combustion 101,230,231
 - stakeholder 409-413,430-433,438,
447,451,457
 - stakeholder assessment 411
 - stakeholder groups 411,413,430,432,
438,447,451,457
 - steam parameters
186,187,188,190,192,195
 - steel industry 196,294
 - substance flow analysis 484
 - substitute fuels 75,76,196,197,198,
202
 - suburb 38,39,454
 - sufficiency 415,475,477
 - summer smog 151,373,376
 - supercritical water 205,209
 - superheater 168,173,190,191,194
 - superheater corrosion 174
 - surface features 264,272,274
 - surface roughness 263
 - sustainability 3,47,48,257,258,266,
351,391,407,409,416,457,462-
511
 - sustainable waste management 462,
465,484,499,502,507,515
 - swelling 117,118
 - system boundaries 354,388
 - system enlargement 355,356,361,
362,364
 - target 60,61,65,66,67,69,168,169,
175,179,255,316,367,408,463-
484,503-511

- technological acceptance 429
- technology assessment 407
- telecommunication equipment 315
- thermal processes 78,79,109,516, 165,220,271,306,310,312,315,324, 326,333
- thermal treatment 78 ff, 102,108,115, 137,150,158,210 ff, 257,294 ff, 379,387,475,478,515,517
- thermodynamic calculations,22,214, 216,218,219
- thermodynamic stability 285,286, 290,292
- thermodynamics of hydration 284
- throw-away society 455
- time preference 388,389,390,391
- toxic substances 16,45,108,112,508, 516,211,220,250,293
- toxic substances in clinker 112
- toxicity 29,33,130,157,297,358,372, 373,374,376,378,386
- trace elements 91,95,96,197,258,263, 272,279,282,283,285,291
- transfer coefficient 215,333,360,365, 366,367,369,
- transport,47,53,57,61,63,112,113, 153, 302,307 326,329,354,356, 360,370,374,380,384,419,458
- treatment cost 239,240,306,310
- treatment of bottom ash,231
- turbine 188,189,190,208,209
- turbine power,190
- TwinRec 335, 46
- unburned carbon 231
- valuation 388,392,393,438
- vitrificatio 108,115,158,376,230, 231, 242,265,300,338,347
- vitrocrystalline 260-293
- volatile fatty acids 22,27
- volume reduction 61,150,165,168, 184,211,454,455
- voluntary agreements 416
- waste collection 6,17,74,372- 376,380, 445,476
- waste composition 25,51,82,85,89, 218,132,137,360,367,369,
- waste glass 68,258,322,349
- waste management 1-13,15,17,36, 37,128,137,140,350,351,353,406, 409,413-455,462-511,514,515, 517,518,
- waste management 165-168,175, 183,229,237,257,290,293,322, 335
- waste paper 11,44,70,71,182
- waste prevention 11,12,360,398, 414,430,504
- waste to energy 165-210,452,454
- waste treatment processes 350,360, 361,388,398
- water-cooled grate 80,84,89,186,187,
- weathering 104,107,121,149,157,349
- WEEE 315-338
- WEEE legislation,316
- WEEE quantities,319
- wet mechanical 73,324,327,332
- wet scrubber 45,367,193,194,295
- white goods 58,59,320
- willingness to accept 393
- willingness to pay 392,393
- windrow 135,141
- X-ray diffractogram 262
- zero waste 8,44,47-65,143,415,452, 463
- zinc 27,89,90,91,117,127,147,154, 157,158,176,210- 240,297,304, 307,309,313,322,325,327,366
- zinc containing batteries 311