Exercise Sheet n°2

Exercise 1:

Give context free grammars that generate the following languages.

- 1. the language of well-bracketed words (cf. exercise 3.3 Exercise sheet n°1);
- 2. the language of all strings over the alphabet $\{(,),+,\cdot,a\}$ which represent syntactically correct arithmetic expressions with variable a such as

$$a, a+a\cdot a, (a+a)\cdot a, \ldots;$$

3. the language of all well-formed formulas of first order logic with variables among x_1, \dots, x_n . That is all strings on the alphabet

$$\{\forall, \exists, (,), \land, \lor, \neg, =, x_1, \ldots, x_n\}$$

which represent valid formulas of first order logic.

Is the language of first order formulas with variables among $\{x_n \mid n \in \omega\}$ context free?

Exercise 2:

Give a pushdown automaton which recognises the language generated by the grammar $G = (V, \Sigma, R, S)$ where

$$V = \{S\}, \quad \Sigma = \{(,),[,]\}, \quad R = \{S \to \epsilon, S \to SS, S \to [S], S \to (S)\}.$$

Exercise 3:

A context free grammar $G=(V,\Sigma,R,S)$ is called regular if the set of relations is such that

$$R \subseteq (V \times \Sigma^* V) \cup (V \times \Sigma^*),$$

i.e. each rule is either of the form $N \to wM$ for some $N, M \in V$ and $w \in \Sigma^*$ or of the form $O \to w$ for some $O \in V$ and $w \in \Sigma^*$.

- 1. Define for any regular grammar G a NFA N(G) which recognises the language generated by G.
- 2. Define for any language L recognised by a DFA a regular grammar G(L) which generates L.
- 3. Conclude that a language is recognised by a DFA if and only if it is generated by a regular grammar.

Exercise 4:

1. Use the languages $\{a^mb^nc^n\mid m,n\in\omega\}$ and $\{a^nb^nc^m\mid m,n\in\omega\}$ and the fact that $\{a^nb^nc^n\mid n\in\omega\}$ is not context free to show that the context free languages are not closed under intersection.

- 2. Let C be a context free language and R be a regular language. Show that $C\cap R$ is context free.
- 3. Assuming that $\{a^nb^nc^n\mid n\in\omega\}$ is not context free, show that

```
\{w \in \{a,b,c\}^* \mid w \text{ contains an equal number of } a,\,b,\,\text{and } c.\}
```

is not context free.