


Multivariable Control (ME-422) - Exercise session 4

Prof. G. Ferrari Trecate

1. Observability analysis

Consider the following multi-compartment system, which is similar to the one analyzed in the last exercise session



where the state $x_i(k)$ of each compartment is the mass of the drug (in mg) in compartment i , the mass-transfer rates are $k_{12} = k_{13} = k_3 = 0.5h^{-1}$, $k_{23} > 0$, and inputs are measured in mg/h . Assume the output is the drug concentration in compartment 3 (with volume $V = 2cc$), a discrete-time model of the system is

$$\begin{cases} x_1^+ = -(k_{12} + k_{13})x_1 + x_1 + u_1 \\ x_2^+ = k_{12}x_1 - k_{23}x_2 + x_2 + u_2 \\ x_3^+ = k_{13}x_1 + k_{23}x_2 - k_3x_3 + x_3. \end{cases}$$

$$y = \frac{1}{V}x_3.$$

- (a) Set $k_{23} = 0$. Using MATLAB, verify that the system is unobservable. Can you guess an initial state $x(0) \neq 0$ producing a zero output by just looking at the system structure?

Verify your guess by simulating free state of the system.

- (b)
- Set $k_{23} = 0.5$ and verify that the system is still unobservable. This shows that unobservability cannot be always deduced just by looking at the system structure.
 - Compute the unobservable eigenvalue using the PBH test.
 - Build the observability form of the system and verify the result in the previous part.
 - Find an unobservable state and simulate the results.

- (c) Set $k_{23} = 1$ and verify that the system is observable. Reconstruct the initial state producing the output

$$y(0) = 0 \quad y(1) = 0.75 \quad y(2) = 0.625$$

2. Observability and reconstructibility

An LTI system $x^+ = Ax \quad y = Cx \quad x \in \mathbb{R}^n$ is reconstructible if the measurements $y(k) \quad k = 0, 1, \dots, n-1$ allow one to determine x_{n-1} uniquely.

- (a) Show that (A, C) observable $\implies (A, C)$ reconstructible.

- (b) Assume that $A = \begin{bmatrix} 0 & 0 \\ 1 & 0 \end{bmatrix} \quad C = \begin{bmatrix} 1 & 0 \end{bmatrix}$. Is the system observable? Is it reconstructible?

- (c) Show that if (A, C) is reconstructible and $\det(A) \neq 0$, then (A, C) is also observable.

3. A SISO LTI system

$$x^+ = Ax \quad y = Cx$$

is in the observable canonical form if

$$A = \begin{bmatrix} -a_1 & 1 & 0 & \dots & 0 \\ -a_2 & 0 & 1 & \dots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ -a_{n-1} & 0 & 0 & \dots & 1 \\ -a_n & 0 & 0 & \dots & 0 \end{bmatrix} \quad C = \begin{bmatrix} 1 & 0 & \dots & 0 \end{bmatrix}$$

Show that the system is always observable.