Mechanobiology of microbes

ME-480

Alex Persat

Bacteria



Pseudomonas aeruginosa

Lecture outline

- Bacteria: what are they and what do they do?
- Adhesion
- Swimming
- Crawling
- Sense of touch

Quizz

Bacteria

why do we care about them?

Present in oceans, soil, humans, plants, air

- > 10³⁰ bacteria in the biosphere
- ~ 10¹⁴ bacteria in a human body
- × 10² more bacterial than human genes in our body

Photosynthesis (oxygen)

Industry (fuel, food, waste management)

Pathogenicity (infection, food poisoning)

Symbiosis (immune system, digestion)

Biotechnology (CRISPR, cell-based therapies, natural products)



cyanobacteria




Propionibacterium freundenreichii



vvoidacnia againsi dengue and zika


The origin of bacteria is the origin of life

Phylogenetic Tree of Life



The environments of bacteria

- many environments generate many types of stresses
- bacteria must (rapidly) adapt to these conditions




The many shapes of bacteria





Prosthecomicrobium

- How do they maintain their shapes?
- Why these shapes?




The cell wall maintains cellular integrity

The bacterial cell wall is:


- mechanically robust
- maintains cell shape
- dynamic

Synthesis is guided by cytoskeletal proteins




The cell envelope is complex Surface components interface a cell with its environment

For all cells (prokaryotes and eukaryotes)



Simple lipid bilayer

Heterogeneous membranes with microdomains





Additional structures extend in the third dimension:

- sugars
- proteins


The cell wall maintains bacterial integrity

A major distinctive feature from eukaryotes






AFM measurements on single bacteria




Cell wall stiffness 10-50 MPa

Mechanical sensing








Trichet, PNAS 2012




Can bacteria actively transduce mechanical stimulation into cellular responses?

Single cell mechanical interactions

Single cells mechanically interact with their environments through surface structures



Persat, Curr. Op. Micro. 2017



Tala, Nature Microbiology 2019

Adhesion

Bacterial adhesion in industry






Bacteria adhesion in health and disease










Mechanisms of adhesion

bacteria attach using adhesins






Micropatterned surfaces



Physicochemical basis of adhesion

Adhesion	Attachment	Topography	Chemistry
Electrostatic attraction & repulsion	Interactions of curli, flagella, & pili	Surface topography changes bacterial adhesion	Surface chemistry changes bacterial adhesion
	Genetic regulatory networks start to change expression profiles		
+++++	JA CAR CO		\$\$\$\$\$\$\$\$\$\$
van der Waals forces	Hydrophobic interactions	Steric forces	Chemical modifications

Weibel and Tuson, Soft Matter



Berne and Brun, Nat. Rev. Micro.


Non-specific adhesion

Cells attach to surfaces independently of precise chemistry


Bacteria secrete polysacchrides which function as "glue"

OM
Peri
IM
Cyto
P
Wzy
PCP

Example of *Pseudomonas aeruginosa*Psl is a polysaccharide glue




Δps/G



Specific adhesion

cells attach to specific receptors using specific adhesins

Staphylococcus aureus displays many adhesins



Enteropathogenic E coli injects the host with a receptor





Fig. 1. Attaching/effacing (A/E) lesion formation by enteropathogenic Escherichia coli (EPEC).

Mechanics of adhesion

cells resist detachment



WHO

CAULOBACTER CRESCENTUS

WHERE

UNITED STATES


WHEN

2006


In 2006, researchers at Indiana University, USA, found that the bacterium Caulobacter crescentus produced a sticky substance that allowed it to attach to virtually any surface and even under water. The bacteria produced a mixture of long sugar-based molecules called polysaccharides that are around 7 times stronger than a Gecko's sticky foot! The scientists measured 14 bacteria attaching themselves to a borosilicate substrate (glass-like base) and found it took a force between 0.11 to 2.26 micro-Newtons, averaging 0.59 ± 0.62 micro-Newtons, to detach the microbe. This equates to a ripping force of around 70 Newtons per square millimetre (10,153 pound-force per square inch) force over all compared to commercial 'super' glue (cyanoacrylate) that fails at around 25 newtons per square millimetre (3,626 pound-force per square inch). The report on the research appeared in the Proceedings of the National Academy of Science.

Some bacteria attach better under load


E. coli in flow




Weak flow



Moderate flow




Moderate flow at high imaging speed





Catch bonds

the molecular adhesin senses force

c Mechanosensation in adhesion Catch bond









Catch bonds are common inpathogens that experience flow environments

(urinary tract infections, bloodstream infection)

Structural basis for catch bonds

Uropathogenic *E. coli* (UPEC)










Other catch bond examples


Staphylococcus aureus binds to the blood plasma fibrinogen


Attachment to fibronectin-coated surfaces











Summary: slip vs catch bonds

biomechanics vs mechanobiology

Moving

Review Article | Published: 21 September 2021

Bacterial motility: machinery and mechanisms

Nature Reviews Microbiology 20, 161–173 (2022) | Cite this article

"No more pleasant sight has ever yet come before my eye than these many thousands of living creatures seen all alive in a little drop of water ... each several creature having its own proper motion."

Antonie van Leeuwenhoek's 18th letter to the Royal Society on observations made on 6 August 1676 of "little eels"



Bacterial motility

Swimming



Living at the microscale


- How does it feel to live at the scale of a few micrometers?
- How did microorganisms evolve to adapt to these different conditions?
- What are the consequences of small scales on biological microflows?

Life at low Reynolds number

E. M. Purcell Lyman Laboratory, Harvard University, Cambridge, Massachusetts 02138 (Received 12 June 1976)


The hydrodynamics of swimming microorganisms

The Scallop Theorem




Bacterial swimming


Ready, set, go!




Bacterial flagellum


a rotating filament







Bacterial flagellum



transmitted electron microscopy of *E. coli*





Figure 3.24b Physical Biology of the Cell, 2ed. (© Garland Science 2013)


cryo electron microscopy of a bacterial flagellum

Hydrodynamics of flagellar propsulsion

Drag anisotropy generates thrust




$$F = 6\pi\mu RV$$



$$f_{\perp} = \gamma_{\perp} v_{\perp} \simeq 4\pi \mu L v_{\perp}$$
 $f_{\parallel} = \gamma_{\parallel} v_{\parallel} \simeq 2\pi \mu L v_{\parallel}$ $\gamma_{\perp} = 2\gamma_{\parallel} \; (\text{from "resistive theory"})$

Bacterial flagellar motor

- Works on H+ gradient (not ATP!)
- Can rotate both directions
- f ~ 100 Hz






Figure 16.14a Physical Biology of the Cell, 2ed. (© Garland Science 2013)

The flagellum is a rotating protein machine






Figure 3.24a Physical Biology of the Cell, 2ed. (© Garland Science 2013)




Rotating protein assembly





Molecular mechanism of rotation







Figure 16.42 Physical Biology of the Cell, 2ed. (© Garland Science 2013)

lon transport-> charge screening

Rotation and ion release

Where do bacteria swim?

Bacteria use a reversal strategy



Tumbling allows single cells to change direction

Chemotaxis






Figure 4.16d Physical Biology of the Cell, 2ed. (© Garland Science 2013)


At the molecular level: chemotaxis system connects ligand sensing to motor activity






Harnessing motility

Bacteria can power machines



Sokolov, PNAS 2010





Tethering flagella A tool to perturb flagellum rotation





Nesper, eLife 2017

Bacteria can change gears












Twitching motility

Bacteria can crawl




Type IV pili are protein polymers






Type IV pili are motorized

Early measurements with optical tweezers







Mike Sheetz and Berenike Meier


Bacteria twitch using motorized filaments

"type IV pili" extend and retract from the cell surface







Dynamics measurements of response to surface



Mechanosensing with pili


response depends on substrate stiffness







PNAS 2015

Mechanotaxis with pili







Mechanotransduction in Pseudomonas aeruginosa





How do pili sense force?


Pili (and any protein) behave as springs












Bacteria often grow in confinement

E. coli commonly infects the urinary tract


Forms cell-embedded "pods" that are compressing the community




the end?

Squeezing bacteria

It's not so simple





Bacterial growth under compression

Bacteria sense and respond to cell envelop perturbations

