

Center

General Physics: Mechanics

PHYS-101(en)

Lecture 6b: Momentum, impulse, and center of mass

Dr. Marcelo Baquero marcelo.baquero@epfl.ch
October 15th, 2024



Conceptual question



You drop a ball that bounces off the ground in a perfectly elastic manner. Is the ball's momentum conserved?

- A. Yes
- B. No

Conceptual question



If you drop an egg on the floor, it will break, but if you drop it (from the same height) on a mattress, it won't. Why?

- A. The change in momentum decreases...
- B. The average force decreases...
- C. The maximum force decreases...
- D. The impulse decreases...
- E. None of the above.

when using the mattress.





When Javier Sotomayor broke the high jump world record (going over a 2.45 m high bar), did his center of mass also go over this height?


- A. Yes, necessarily.
- B. Not necessarily.



Conceptual question

When Javier Sotomayor broke the high jump world record (going over a 2.45 m high bar), did his center of mass also go over this height?


- A. Yes, necessarily.
- B. Not necessarily.





Example: Center of mass Sun-Earth

The mean distance from the Earth to the Sun is $R_{ES}=1.5\times 10^{11}$ m. The mass of the Earth is $m_E=6.0\times 10^{24}$ kg and the mass of the Sun is $m_S=2.0\times 10^{30}$ kg. The mean radius of the Earth is $r_E=6.4\times 10^6$ m. The mean radius of the Sun is $r_S=6.4\times 10^8$ m. Where is the location of the center of mass of the Earth-Sun system?





Example: Center of mass Sun-Earth

The mean distance from the Earth to the Sun is $R_{ES}=1.5\times 10^{11}$ m. The mass of the Earth is $m_E=6.0\times 10^{24}$ kg and the mass of the Sun is $m_S=2.0\times 10^{30}$ kg. The mean radius of the Earth is $r_E=6.4\times 10^6$ m. The mean radius of the Sun is $r_S=6.4\times 10^8$ m. Where is the location of the center of mass of the Earth-Sun system?



Example: Exploding projectile

An instrument-carrying projectile of mass m_1 accidentally explodes at the top of its trajectory. The horizontal distance between launch point and the explosion is x_0 . The projectile breaks into two pieces that fly apart horizontally. The larger piece, m_3 , has three times the mass of the smaller piece, m_2 . To the surprise of the scientist in charge, the smaller piece returns to earth at the launching station. Neglect air resistance and effects due to the earth's curvature.

How far away, x_3^f , from the original launching position does the larger piece land?



Example: Exploding projectile