

# Mock Exam

## BIO-110: Bio-Organic Chemistry (2024)


**Important:** This Exam will NOT be corrected individually. It serves simply as a guidance for students to get an overview of the exam concept. The topics covered in the mock exam do not necessarily reflect what will be asked in the final exam. Ultimately, it is a selection of exercises from the pool of topics we covered during the course, the exercise sessions and discussions.

Good Luck! :)

## 1. Structure & Bonding



### 1.1. Functional Groups

Name all functional groups of Enalapril. (Circled with dashed lines)



### 1.2. Hybridization


Indicate the hybridization of all atoms except hydrogen for the following molecules.



### 1.3. Aromaticity


Classify the following as aromatic, non-aromatic or anti-aromatic.

1




- ☐ aromatic  
☐ non-aromatic  
☐ anti-aromatic

2



- ☐ aromatic  
☐ non-aromatic  
☐ anti-aromatic

3







- ☐ aromatic  
☐ non-aromatic  
☐ anti-aromatic

## 2. Conformation & Stereochemistry





### 2.1. Resonance structures

Draw the Lewis structure of each resonance contributors for the following molecules.



### 2.2. Chirality

Assign the chiral center as R or S.



### 3. IR & NMR & MS


#### 3.1 MS

- a) From the spectra below indicate the  $m/z$  number corresponding to the base peak, the parent peak and the  $M+2$  peak.

**Base peak:**


**Parent peak:**

**$M+2$  peak:**




- b) Which of the following compounds correspond to the spectra shown above:


A)




B)



C)




D)



E)




F)




**3.2 UV-VIS and IR**

- a) Which would be more useful in distinguishing the two compounds shown below: IR or UV spectroscopy?
- b) Which molecule absorbs at a longer wavelength?







A







B

**3.3 NMR**

- a) For each of the structures indicate the chemically equivalent protons and how many peaks would be found in the  $^1\text{H}$  NMR spectrum. Additionally, indicate for each structure which peak you expect to have the highest PPM.




- b) Sketch  $^1\text{H}$ -NMR peak shapes for the circled protons in the following partial structures.





## 4. Organic Reactivity

### 4.1. Reactivity


- a) Compare the reactivity of the following compounds towards benzylamine. Which one would you expect to react faster and why?




- b) Compare the highlighted protons and determine which one is more acidic. Give a brief explanation.




- c) Order the heteroatoms in the compound below from least to most basic.




d) Order compounds 1, 2, 3 from least to most basic. Explain your answer.



**1**



**2**



**3**


## 5. Nucleophilic Substitutions & Eliminations

### 5.1. Reaction Control

Answer the following questions by ticking the corresponding correct answers. Wrong answers will result in a deduction of points, no less than 0 points can be achieved.

- a) Tick the factors that clearly favor the  $S_N1$  mechanism over the  $S_N2$  mechanism:
- i) good nucleophile
  - ii) presence of a strong base
  - iii) large steric demands of the substrate
  - iv) strong electron-donor substituents at the reactive center
  - v) good leaving group
  - vi) basic leaving group
- b) Tick the factors that clearly favor the  $S_N2$  mechanism over the E2 elimination mechanism:
- i) good nucleophile
  - ii) strong  $\pi$  acceptors close to the reactive center
  - iii) lower temperature
  - iv) good leaving group
  - v) absence of a strong base
  - vi) possibility of anti-arrangement of leaving group and proton


### 5.2. Reaction Mechanisms




- a) The reaction shown above takes place in MeCN (acetonitrile), a polar, aprotic solvent. Give one further example of a polar, aprotic solvent including its structures (you may use the common abbreviations for the names of the solvents).



- b) What kind of reaction is this? Which of the molecules shown below reacts as a nucleophile and which as an electrophile? Circle the nucleophilic and electrophilic sites in the molecules (only those sites that take part in the reaction).



- c) Sketch the reaction diagram (free energy versus reaction coordinate) for the reaction from 1 to 2. State the energy levels of the reactants, any intermediates and products. Draw in your diagram where the rate-determining transition state is.




- d) Draw the structure of the rate-determining transition state from 1 to 2.

### 5.3 Substitution vs Elimination

Predict the mechanism (SN1, SN2, E1, or E2) and draw the organic product(s) for each reaction. Account for any regioselectivity and stereoselectivity where relevant.


a)




b)



c)




d)



## 6. Phosphate Transfer Reactions




Draw a likely mechanism for reaction catalyzed by shikimate kinase in the aromatic amino acid biosynthesis pathway. Stereochemistry of the product is not indicated in the figure below - in your mechanism, show the stereochemistry of the product, and explain how you are able to predict it from your knowledge of kinase reactions.



## 7. Carbonyl Chemistry I

### 7.1. Reactions

- a) For the following 3 reactions, categorize the functional group of compounds A), B), C), as a hemiacetal, hemiketal, acetal, ketal, aldehyde, ketone or imine.
- b) Draw the missing reactants/products of the reactions depicted below.





- c) Indicate if the following statements are right or wrong (no negative points).

A. In a non-enzymatic addition reaction to a carbonyl the resulting product will be a 50/50 mixture of the two enantiomers (racemate).	<i>Right</i>	<i>Wrong</i>
B. The carbon of a carbonyl group is a good nucleophile.	<i>Right</i>	<i>Wrong</i>
C. Hydrolysis of a hemiacetal leads to an aldehyde.	<i>Right</i>	<i>Wrong</i>
D. A ketone can never be transformed into an imine.	<i>Right</i>	<i>Wrong</i>

## 8. Carbonyl Chemistry II



### 8.1. Retro Aldol Reaction

What starting material(s) is/are needed to prepare each compound below via an aldol reaction?















### 8.2. Aldol Reaction

Draw the product formed in the aldol reactions below. If multiple products are possible, explain why your choice is the preferred product.



**8.3 Reactions**


Draw the main product for each of the following reactions in the corresponding empty box. (Hint: Ph = Phenyl, Me = Methyl, Ac = Acetyl, TsOH = Tosyic acid)




## 9. Oxidations & Reductions

Complete the redox reactions, indicating hydride ion movement and identifying which compound undergoes oxidation and which undergoes reduction.


a) Aldehyde to alcohol:




b)



c) Alkene to alkane:



d)



The Periodic Table of the Elements

1 <b>H</b> Hydrogen 1.00794																		2 <b>He</b> Helium 4.003																							
3 <b>Li</b> Lithium 6.941		4 <b>Be</b> Beryllium 9.012182															9 <b>F</b> Fluorine 18.9984032	10 <b>Ne</b> Neon 20.1797																							
11 <b>Na</b> Sodium 22.989770		12 <b>Mg</b> Magnesium 24.3050															17 <b>Cl</b> Chlorine 35.4527	18 <b>Ar</b> Argon 39.948																							
19 <b>K</b> Potassium 39.0983	20 <b>Ca</b> Calcium 40.078	21 <b>Sc</b> Scandium 44.955910	22 <b>Ti</b> Titanium 47.867	23 <b>V</b> Vanadium 50.9415	24 <b>Cr</b> Chromium 51.9961	25 <b>Mn</b> Manganese 54.938049	26 <b>Fe</b> Iron 55.845	27 <b>Co</b> Cobalt 58.933200	28 <b>Ni</b> Nickel 58.6934	29 <b>Cu</b> Copper 63.546	30 <b>Zn</b> Zinc 65.39	31 <b>Ga</b> Gallium 69.723	32 <b>Ge</b> Germanium 72.61	33 <b>As</b> Arsenic 74.92160	34 <b>Se</b> Selenium 78.96	35 <b>Br</b> Bromine 79.904	36 <b>Kr</b> Krypton 83.80																								
37 <b>Rb</b> Rubidium 85.4678	38 <b>Sr</b> Strontium 87.62	39 <b>Y</b> Yttrium 88.90585	40 <b>Zr</b> Zirconium 91.224	41 <b>Nb</b> Niobium 92.90638	42 <b>Mo</b> Molybdenum 95.94	43 <b>Tc</b> Technetium (98)	44 <b>Ru</b> Ruthenium 101.07	45 <b>Rh</b> Rhodium 102.90550	46 <b>Pd</b> Palladium 106.42	47 <b>Ag</b> Silver 107.8682	48 <b>Cd</b> Cadmium 112.411	49 <b>In</b> Indium 114.818	50 <b>Sn</b> Tin 118.710	51 <b>Sb</b> Antimony 121.760	52 <b>Te</b> Tellurium 127.60	53 <b>I</b> Iodine 126.90447	54 <b>Xe</b> Xenon 131.29																								
55 <b>Cs</b> Cesium 132.90545	56 <b>Ba</b> Barium 137.327	57 <b>La</b> Lanthanum 138.9055	72 <b>Hf</b> Hafnium 178.49	73 <b>Ta</b> Tantalum 180.9479	74 <b>W</b> Tungsten 183.84	75 <b>Re</b> Rhenium 186.207	76 <b>Os</b> Osmium 190.23	77 <b>Ir</b> Iridium 192.217	78 <b>Pt</b> Platinum 195.078	79 <b>Au</b> Gold 196.96655	80 <b>Hg</b> Mercury 200.59	81 <b>Tl</b> Thallium 204.3833	82 <b>Pb</b> Lead 207.2	83 <b>Bi</b> Bismuth 208.98038	84 <b>Po</b> Polonium (209)	85 <b>At</b> Astatine (210)	86 <b>Rn</b> Radon (222)																								
87 <b>Fr</b> Francium (223)	88 <b>Ra</b> Radium (226)	89 <b>Ac</b> Actinium (227)	104 <b>Rf</b> Rutherfordium (261)	105 <b>Db</b> Dubnium (262)	106 <b>Sg</b> Seaborgium (263)	107 <b>Bh</b> Bohrium (262)	108 <b>Hs</b> Hassium (265)	109 <b>Mt</b> Meitnerium (266)	110 <b>Ds</b> Darmstadtium (269)	111 <b>Uu</b> Ununennium (272)	112 <b>Uub</b> Unbibium (277)																														
58 <b>Ce</b> Cerium 140.116			59 <b>Pr</b> Praseodymium 140.90765			60 <b>Nd</b> Neodymium 144.24			61 <b>Pm</b> Promethium (145)			62 <b>Sm</b> Samarium 150.36			63 <b>Eu</b> Europium 151.964			64 <b>Gd</b> Gadolinium 157.25			65 <b>Tb</b> Terbium 158.92534			66 <b>Dy</b> Dysprosium 162.50			67 <b>Ho</b> Holmium 164.93032			68 <b>Er</b> Erbium 167.26			69 <b>Tm</b> Thulium 168.93421			70 <b>Yb</b> Ytterbium 173.04			71 <b>Lu</b> Lutetium 174.967		
90 <b>Th</b> Thorium 232.0381			91 <b>Pa</b> Protactinium 231.03588			92 <b>U</b> Uranium 238.0289			93 <b>Np</b> Neptunium (237)			94 <b>Pu</b> Plutonium (244)			95 <b>Am</b> Americium (243)			96 <b>Cm</b> Curium (247)			97 <b>Bk</b> Berkelium (247)			98 <b>Cf</b> Californium (251)			99 <b>Es</b> Einsteinium (252)			100 <b>Fm</b> Fermium (257)			101 <b>Md</b> Mendelevium (258)			102 <b>No</b> Nobelium (259)			103 <b>Lr</b> Lawrencium (262)		

1995 IUPAC masses and Approved Names from <http://www.chem.qmul.ac.uk/iupac/AtW/>  
masses for 107-111 from C&EN, March 13, 1995, p. 35  
112 from <http://www.gsi.de/z112e.html>

Compound		pK <sub>a</sub>
	$\text{H}-\text{Cl}$	-7
Carboxylic acids*	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{OH}$	3-5
β-Dicarbonyls*	$\text{RC}-\overset{\text{O}}{\parallel}{\text{C}}-\text{CH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{CR}'$	10
β-Ketoesters*	$\text{RC}-\overset{\text{O}}{\parallel}{\text{C}}-\text{CH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{COR}'$	11
β-Diesters*	$\text{ROC}-\overset{\text{O}}{\parallel}{\text{C}}-\text{CH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{COR}'$	13
Water	$\text{HOH}$	15.7
Alcohols	$\text{RCH}_2\text{OH}$	15-19
Acid chlorides*	$\text{RCH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{Cl}$	16
Aldehydes*	$\text{RCH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{H}$	18-20
Ketones*	$\text{RCH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{CR}'$	18-20
Esters*	$\text{RCH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{COR}'$	23-25
Terminal alkynes	$\text{RC}\equiv\text{C}-\text{H}$	25
LDA	$\text{H}-\text{N}(\text{i}-\text{C}_3\text{H}_7)_2$	40
Terminal alkenes	$\text{R}_2\text{C}=\underset{\text{H}}{\text{C}}-\text{H}$	44
Alkanes	$\text{CH}_3\text{CH}_2-\text{H}$	51

Source: <https://keski.condesan-ecoandes.org/organic-chemistry-pka-chart/>