



# Computer Networks - Midterm

November 10, 2023

Duration: 2h

- This is a closed-book exam. You can use two A4 “cheat-sheets.”
- Write your answers clearly, in English or in French, using extra sheets if necessary.
- It consists of 3 problems. The total number of points is 50.
- This document contains 16 pages.

Good luck!

**Last Name:**

**First Name:**

**SCIPER No:**

## 1 Short questions

(5 points)

*For each question, circle a single best answer.*

1. Your home is connected to the Internet over Fiber to the Home (FTTH). On Saturday night, you often experience poor network performance when communicating with your favorite game server. What could be the reason?
  - (a) The links that connect your home to the Internet are congested because many of your neighbours are downloading movies.
  - (b) The link that connects the game server to the Internet is congested because many players are using it.
  - (c) Either of the above could be the reason.
  - (d) None of the above could be the reason.
2. Which of the following may read and update the network-layer header of a packet?
  - (a) An end-system.
  - (b) A packet switch.
  - (c) Either of the above.
  - (d) None of the above.
3. Alice and Bob are connected over a network link of transmission rate  $R$  and propagation delay  $D$ . The following is always true:
  - (a) The round-trip time (RTT) from Alice to Bob and back is approximately  $D$ .
  - (b) The maximum throughput achievable from Alice to Bob is  $R$ .
  - (c) Both of the above.
  - (d) None of the above.
4. Consider a queue inside a packet switch; the queue feeds a network link. If you change the processing delay of the switch, you may affect:
  - (a) The transmission delay experienced by the packets when they are transmitted on the link.
  - (b) The queuing delay experienced by packets in the queue.
  - (c) Either of the above.
  - (d) None of the above.
5. Two packets of the same size traverse the same network path at different times and experience significantly different end-to-end delays. You may conclude that the dominant delay factor for the packet that took longer was:
  - (a) Queuing delay.
  - (b) Transmission delay.
  - (c) Propagation delay.
  - (d) It could be any of the above.

6. The administrator of an authoritative DNS server wants to change a mapping provided by the server (i.e., change the IP address that corresponds to a DNS name). Can the administrator be 100% sure that the old mapping (which is not valid any more) is never cached at any other DNS server around the world?
  - (a) Yes, that is guaranteed by the TCP protocol.
  - (b) Yes, that is guaranteed by the DNS protocol.
  - (c) Yes, if the time-to-live (TTL) of the old mapping is 0.
  - (d) No, it is not possible.
7. Alice distributes a file to 100 friends using the client/server approach. The resulting file distribution time (time for all friends to get the file) is  $X$ . Then, Alice distributes another file, of the same size, to the same friends, using the peer-to-peer approach we saw in class. The resulting file distribution time is approximately  $X/100$ . Assume network conditions never change. Which of the following statements is plausible?
  - (a) In both approaches, the bottleneck is Alice's Internet connection (in particular, her upload capacity).
  - (b) In both approaches, the bottleneck is the Internet connection of one of Alice's friends (in particular, the friend's download capacity).
  - (c) It could be either of the above.
  - (d) It could not be any of the above.
8. Suppose a network guarantees that packets are never corrupted, lost, or unpredictably delayed. Which of the following elements of reliable data delivery are unnecessary for this network?
  - (a) Checksums.
  - (b) Timeouts.
  - (c) Retransmissions.
  - (d) All of the above.
9. Based on what we saw in class, how can we prevent TCP highjacking attacks?
  - (a) With web cookies.
  - (b) With random sequence numbers.
  - (c) By pushing the relevant state to the TCP client, hence removing the need for an incomplete-connection buffer.
  - (d) We cannot prevent it.
10. What would happen to processes communicating over TCP if we removed from TCP the fast-retransmit mechanism?
  - (a) Nothing.
  - (b) The processes would experience less loss.
  - (c) The processes would experience less congestion.
  - (d) The processes would achieve lower throughput

## 2 Web/DNS, delay computation, TCP

(29 points)

Consider the network in figure 1.




Figure 1: Network topology for Problem 2

- The maximum segment size is MSS.
- Each link has propagation delay D.
- For each link, the transmission rate has (in each direction) the value shown in the figure.
- **switch1** and **switch2** are store-and-forward packet switches with 0 processing delay.
- **dns.x.ch** acts as the local DNS server of all computers connected to **switch1**. It performs iterative DNS requests.
- **dns.y.com** is the only authoritative DNS server for the **.y.com** low-level domain.
- Web browsers and web servers communicate through persistent TCP connections (i.e., they reuse each established TCP connection to exchange as much traffic as possible).
- At the beginning of this problem, all caches (of all kinds) are empty, and there are no established TCP connections.
- All DNS records have time-to-live (TTL) 24 hours.
- There is no other traffic on the Internet other than the traffic caused by the actions described in this problem.
- There is no packet loss or corruption in this problem.

Packet sizes:

- DNS requests and responses, HTTP requests, and TCP connection-setup packets experience 0 transmission delay.
- All headers (including HTTP headers) are insignificant, i.e., you can assume they have size 0.
- Size of `www2.y.com/index.html`: MSS
- Size of `www2.y.com/logo.jpg`: 6 MSS

**Question 1 (7 points):**

Alice types in her web browser `http://www1.y.com/index.html` and presses enter.

Soon after Alice visits <http://www1.y.com/index.html>, Bob types in his browser <http://www2.y.com/index.html> and presses enter. This web page references one embedded image file, <http://www2.y.com/logo.jpg>.

List all the packets that are sent or received by any computer as a result of Bob's action. Include any TCP connection-setup packets, but ignore any packets that carry only TCP ACKs. For each packet, list which computer sends it (e.g., "Bob") and which computer receives it (e.g., "www2.y.com"), the source and destination port numbers, and briefly its purpose (e.g., request for ...). Use " " if the value of a cell is the same as that of the cell above.

Table 1: Table to fill in for Problem 2, Question 1.

**Question 2(a) (4 points):**

How much time passes from the moment Bob presses enter until Bob's computer downloads the base file for <http://www2.y.com/index.html>? Justify your answer.

**Question 2(b) (6 points):**

How much time passes from the moment Bob's computer has downloaded the base file until it downloads all elements needed to display <http://www2.y.com/index.html>? Justify your answer.

**Question 3(a)\* (5 points):**

This question is unrelated to Alice and Bob.

Each of end-systems  $S_1$  to  $S_{10}$  (there are 10 of them) has already established a TCP connection with `www2.y.com` and has already exchanged a very large amount of data.

They all send an HTTP GET request for `http://www2.y.com/index.html` at the same time.

How much time passes from the moment they start sending their requests until the last of them downloads the base file for `http://www2.y.com/index.html`? Justify your answer.

**Question 3(b)\*\* (7 points):**

How much time passes from the moment the last end-system has downloaded the base file until the last end-system downloads all the elements needed to display `http://www2.y.com/index.html`? Justify your answer.

Assume that  $D \gg \frac{MSS}{R}$ , if that makes your life easier.

### 3 TCP and throughput

(16 points)

Assume the following for all the questions in this problem:

- Alice and Bob communicate using TCP at the transport layer.
- The maximum segment size is  $MSS = 1$  byte.
- The TCP timeout is 2 RTT, where RTT is the sender's estimate of the round trip time from sender to receiver and back.
- A TCP receiver sends an ACK every time it receives a data segment.

When you complete the diagram in Question 1, the following information should be visible:

- All the segments (including the ACKs) exchanged between the communicating end-systems.
- The sequence numbers of all data segments sent from Alice to Bob.
- The acknowledgment numbers of all ACKs sent from Bob to Alice.
- The state of Alice's congestion-control algorithm.
- The size of Alice's congestion window (`cwnd`) in bytes.
- The value of Alice's congestion threshold (`ssthresh`) in bytes.
- Any dropped segments.
- If your answer includes any timeouts, mark them clearly (on the side where the timeout occurs) and indicate the sequence number of the data segment that timed out.

**Question 1 (5 points):**

A process running on Alice's computer establishes a TCP connection with a process running on Bob's computer and sends 17 bytes to it.

Alice's 9th segment (counting from her TCP SYN packet) is lost. No other segment is lost, corrupted, unpredictably delayed, or reordered.

Fast retransmit/fast recovery are DISabled for this question.

Show all the segments sent by Alice and Bob. Use the diagram in Figure 2 on the next page. You can find a copy of the same diagram at the end of the exam, to first do a draft, if you wish.

		State of the congestion control algorithm for Alice	Sequence number diagram	
cwnd [bytes]	ssthresh [bytes]		Sequence number	Acknowledgement number
.....	.....	.....	<b>Alice</b> 	<b>Bob</b> 

Figure 2: Sequence diagram to be completed for Problem 3, Question 1.

**Question 2 (3 points):**

What is the average throughput from Alice's to Bob's process achieved in Question 1?

**Question 3 (8 points):**

After the events of Question 1, Alice's process continues to send bytes to Bob's process.

Fast retransmit/fast recovery are ENabled for this question.

Figure 3 shows Alice's **sender** window at the end of every RTT, over some period of time. Throughout this period, Alice's process has an infinite amount of data to send to Bob's process. Remember that the sender window is related to the congestion window, but it is not the same thing.




Figure 3: Alice's sender window in Problem 3, Question 3.

Explain what may have caused the sender window to change or remain the same at each of the following moments:

At time  $t_1$ :

At time  $t_2$ :


At time  $t_3^*$ :

At time  $t_4^{**}$ :

At time  $t_5^{**}$ :

## **Scratch Paper**





		State of the congestion control algorithm for Alice	Sequence number diagram	
cwnd [bytes]	ssthresh [bytes]		Sequence number	Acknowledgement number
.....	.....	.....	<b>Alice</b> 	<b>Bob</b> 

Figure 5: Sequence diagram to be completed for Problem 3, Question 1.